

# **B.S.F. BOLTS**

**Suppliers of B.S.F. (British Standard Fine), B.A. (British Association), Whitworth, UNF and UNC fasteners and related tooling.**

**A.B.N. : 94 043 945 431**

**P.O. BOX 2023  
PARKDALE  
VICTORIA 3195**

**Phone us anytime on 0408 056 255**

Or email us at: [sales@bsfbolts.net](mailto:sales@bsfbolts.net)

**website:** [www.bsfbolts.net](http://www.bsfbolts.net)

---

**CATALOG & PRICE LIST**

**This is Version 114 as at January 2023.**

## **CONTENTS**

<b>ITEM</b>	<b>PAGE</b>
<b>Availability, codes, prices, dispatch &amp; payment</b>	<b>3</b>
<b>Specifications, lengths, abbreviations, BSF &amp; BA thread data</b>	<b>4</b>
<b>B.S.F. (British Standard Fine)</b>	<b>8</b>
<b>B.A. (British Association)</b>	<b>22</b>
<b>B.S.W. (British Standard Whitworth)</b>	<b>29</b>
<b>U.N.F. (Unified National Fine)</b>	<b>36</b>
<b>U.N.C. (Unified National Coarse)</b>	<b>39</b>
<b>U.N.8 (Unified National 8 TPI)</b>	<b>40</b>
<b>B.S.B. (Brass Thread)</b>	<b>41</b>
<b>Cycle Thread</b>	<b>41</b>
<b>Metric</b>	<b>42</b>
<b>Mixed-Thread Studs</b>	<b>42</b>
<b>Self-Tappers</b>	<b>42</b>
<b>Flat Washers</b>	<b>43</b>
<b>Spring Washers</b>	<b>44</b>
<b>Miscellaneous Washers</b>	<b>45</b>
<b>Clevis Pins</b>	<b>45</b>
<b>Split Pins</b>	<b>46</b>
<b>B.S.F. Taps</b>	<b>46</b>
<b>B.S.F. Button Dies</b>	<b>47</b>
<b>B.S.F. Die Nuts</b>	<b>48</b>
<b>B.A. Taps</b>	<b>48</b>
<b>B.A. Button Dies</b>	<b>48</b>
<b>Whitworth Taps</b>	<b>49</b>
<b>UNF Taps</b>	<b>49</b>
<b>B.S.B. (Brass Thread-26 TPI) Taps</b>	<b>50</b>
<b>Miscellaneous Hardware</b>	<b>50</b>

## **1. Availability**

Although we have nearly 2000 different items in stock, we are constantly adding new ones, so if the item you're after isn't here, please enquire anyway – it may be waiting to be listed, or we may be able to source it for you.

Not all items listed are available as our stock is constantly changing – please check with us for current availability.

We also stock small quantities of the following (non-coded) items. Please enquire for details.

- Slotted-head woodscrews in various gauges
- 6v and 12v vintage pattern globes
- Car and truck wheel studs and nuts
- Taper pins

**2. Code numbers** Each item has a code number. Please use code numbers when ordering, or if the item you want is not listed, an accurate description of the items and quantities required.

**3. Prices** All items have a per each price. Bulk prices may apply to some items – please enquire. Prices are subject to alteration without notice; please ask for current prices if you do not have a current list. **All prices are GST INCLUSIVE.** All prices are in AUS \$.

## **4. Dispatch & Payment**

**Please note that we are generally MAIL ORDER ONLY, although urgent pick-ups from our premises in Parkdale can be organized if required.**










We charge a flat rate of \$5 for packing and post for small packages within Australia. Our packing and post charge is \$10 for larger items, or \$15 for basic Express (up to 5 kg) postage. Other postage options can be organized where needed.


We do NOT require pre-payment for sales. When you are satisfied with the items as received, please pay by direct deposit using the bank details on the invoice (preferred), or forward a cheque or postal order made out to "BSF BOLTS", to:

PO BOX 2023  
PARKDALE  
VICTORIA 3195

**And now for the technical stuff...**

## 5. Fastener Types and Descriptions

	<p>BOLT hex head, partly threaded</p>
	<p>SETSCREW hex head, fully threaded</p>
	<p>a CAPSCREW b COACHBOLT</p>
	<p>a GRUBSCREW b ALLTHREAD</p>
	<p>HEAD PROFILES a pan b button c round d mushroom (truss) e countersunk f raised countersunk g cheesehead h fillister</p>
	<p>HEAD DRIVES a slotted b Phillips c socket (Allen)</p>
	<p>NUTS a hex b locknut, thin, jam, half c slotted d castle e dome f acorn g 'NYLOCK' (nylon insert) h wingnut</p>
	<p>WASHERS a flat b spring c square d cup e Thackeray (double coil)</p>
	<p>a SPLIT PIN b CLEVIS PIN</p>



## **6. Specifications**

All items are mild steel and unplated unless otherwise stated.

All bolts and setscrews are hexagon-headed unless otherwise stated.

"Drilled" means drilled at thread end for split pin.

All screw heads are slotted unless otherwise stated.

"NYLOCK" is used here as a generic term for nylon insert nuts, not as a brand name.

**CAUTION : ALWAYS USE HIGH TENSILE FASTENERS IN CRITICAL APPLICATIONS SUCH AS BRAKES, STEERING AND SUSPENSION. GET PROFESSIONAL ADVICE ON TENSILE SPECIFICATIONS IF YOU ARE UNSURE.**

## **7. Lengths**

The length of all fasteners is measured from under the head to the end of the shaft. Most bolts & screws are partially threaded. If thread length is critical, please specify. "Setscrews" are fully-threaded hex-headed bolts, viz. all thread and no shank.

## **8. Abbreviations**

The following abbreviations are used in this catalog:

csk = Countersunk

rck = Raised countersunk

hex = Hexagon

cad = cadmium plated (silver/white colour)

zincpl = zinc plated (silver colour)

zinc chrom. = zinc-chromate plated (yellow/gold colour)

HT = high tensile ie Grade 5 or above

TL = thread length

TPI = threads per inch

HSS = high speed steel

GKN - is a specific brand name

i/d = inner diameter

o/d = outer diameter

RHT = right hand thread

LHT = left hand thread

## **9. B.S.F. thread**

The B.S.F. thread form, which is a finer thread than B.S.W. (British Standard Whitworth), is found on many English cars, motorcycles, aircraft & other machinery. The pitch angle for B.S.F. is 55 degrees.

B.S.F. thread data is as follows:

<b>DIAMETER</b>	<b>THREADS PER INCH</b>
3/16"	32
7/32"	28
1/4"	26
9/32 "	26
5/16"	22
3/8"	20
7/16"	18
1/2"	16
9/16"	16
5/8"	14
11/16"	14
3/4"	12
13/16"	12
7/8"	11
15/16"	11
1"	10
1 1/8"	9
1 1/4"	9
1 1/2"	8
1 3/4"	7
2"	7
2 1/4 "	6

## **10. B.A. thread**

The B.A. (British Association) thread form is used in many applications where a fine thread on a small diameter fastener is required. It is used extensively in auto-electrical and instrument applications in earlier vehicles. The B.A. thread form is based on an earlier metric Swiss form in which the smallest size was "25" (0.25 mm diameter and 317 TPI !). The pitch angle for B.A. is 47.5 degrees.

B.A. thread data is as follows:

<b>B.A. NUMBER</b>	<b>DIAMETER</b>	<b>THREADS PER INCH</b>
12	0.0512" (1.3 mm)	90.9
11	0.0591" (1.5 mm)	81.9
10	0.069" (1.7 mm)	72.6
9	0.0748" (1.9 mm)	65.1
8	0.087" (2.2 mm)	59.1
7	0.0984" (2.5 mm)	52.9
6	0.110" (2.8 mm)	47.9
5	0.126" (3.2 mm)	43.0
4	0.142" (3.6 mm)	38.5
3	0.161" (4.1 mm)	34.8
2	0.185" (4.7 mm)	31.4
1	0.209" (5.3 mm)	28.2
0	0.236" (6.0 mm)	25.4

## **11. Taps and Dies – Buy or Hire !!!!!!!**

We stock new top quality B.S.F. taps and dies in a wide range of sizes, including many hard-to-get fractional sizes and some left-hand threads!! See our full list below. **Do you need a B.S.F. tap or die for a once-off job ?** Why buy when for a fraction of the cost you can hire from us; we have taps and dies for hire from 3/16" up to 2 1/4" diameter, from just \$5.00 per day !!!!!!!

## **12. Warranties and Limitation of Liability**

### Warranties

(I) All warranties and conditions which may be express or implied by law are hereby negated or excluded save for those warranties and conditions which apply to contracts of sale between the seller and the purchaser by virtue of the operation of any Commonwealth or State legislation which applies to such contracts and cannot be excluded by express agreement.

(ii) The seller's liability if any to the purchaser for any breach of condition or warranty implied by the Trade Practices Act 1974 (as amended) or the Goods Act 1958 (as amended) shall be limited to the replacement of the goods or the supply of equivalent goods in respect of which there may be a breach of any implied warranty or condition. No representation is made as to the suitability of any item for any particular purpose. There is no guarantee of the ongoing availability of any item.

### Limitations of Liability

The seller shall not be liable for any loss, damage, suits, actions, liabilities, demands, expenses or proceedings of whatever nature howsoever arising including but without limiting the generality of the foregoing loss, injury or damage whether consequential or otherwise from the acquisition, purchase, usage, sale, re-sale or disposal of the goods by the purchaser or from any other cause whatsoever.

## B.S.F. (British Standard Fine) (Pitch angle 55 degrees)

Code	Diameter & length	Item	Price
	<b>3/16" BSF</b>		
0192	3/16 x 1/4	Bolt - square head	0.50
0205	3/16 x 1/4	Screw - roundhead - slotted	0.50
0202	3/16 x 5/16	Screw - cheesehead - slotted	0.50
2014	3/16 x 5/16	Grubscrew - Allen drive	2.00
1728	3/16 x 3/8	Screw - csk - steel	0.50
0486	3/16 x 1/2	Setscrew - zinc plated	1.50
0214	3/16 x 1/2	Screw - roundhead	0.50
1405	3/16 x 1/2	Screw - csk - slotted - cad plated	0.60
0235	3/16 x 1/2	Screw - fillister head - drilled head- cad plated	0.40
0603	3/16 x 1/2	Grubscrew - Allen drive - HT	1.00
0195	3/16 x 9/16	Screw - csk - zinc plated - Phillips	0.40
0208	3/16 x 5/8	Screw - roundhead - slotted with dimple - TL 3/8"	0.40
0781	3/16 x 5/8	Screw - mushhead - slotted - TL 3/8"	0.50
0196	3/16 x 5/8	Screw - mushhead - slotted - TL 1/2"	0.50
1333	3/16 x 3/4	Setscrew - Grade R - zinplated	1.50
0209	3/16 x 3/4	Screw - csk - Phillips	0.40
1791	3/16 x 3/4	Screw - raised csk - slot - stnless	2.00
0207	3/16 x 7/8	Screw - csk - TL 1/2" - Phillips	0.40
0240	3/16 x 7/8	Screw - cheesehead - cad plated	0.40
0197	3/16 x 7/8	Screw - cheesehead - fillister head - drilled head	1.00
1725	3/16 x 7/8	Bolt - pass cad - TL 1/2"	1.50
1542	3/16 x 1	Bolt - TL 1/2" - cad plated	1.00
1334	3/16 x 1	Setscrew - mild - zinc plated	2.00
1727	3/16 x 1	Screw - mushhead - slotted - cad - head 6.8 mm	1.50
2015	3/16 x 1	Grubscrew - Allen drive	2.40
1731	3/16 x 1 1/8	Screw - csk - cad plated	1.00
0219	3/16 x 1 3/8	Screw - csk - cad plated - TL 3/8"	0.50
0212	3/16 x 1 3/8	Screw - mushroomhead - slotted - cad	1.50
0218	3/16 x 1 1/2	Screw - csk - cad plated	1.50
1613	3/16 x 1 1/2	Capscrew	1.00
0213	3/16 x 1 1/2	Screw - roundhead (stepped) - slotted	1.50
0211	3/16 x 1 5/8	Screw - csk - zinc plated - slotted - TL 3/8"	1.50
1538	3/16 x 1 3/4	Bolt - mild - zinc plated - TL 1/2"	2.50
0217	3/16 x 1 3/4	Screw - csk - cad plated - TL 3/4	2.00
1335	3/16 x 2	Setscrew - mild - zinc plated	2.50
0220	3/16 x 2	Screw - cheesehead - cad plated	2.50
0168	3/16 x 2	Stud - TL 3/8" each end	2.00
0194	3/16 x 2 3/8	Bolt - cad plated - TL 1/2"	2.20
0526	3/16 x 2 1/2	Screw - csk - TL 1 1/4" -zinc plated	2.20
0204	3/16 x 2 3/4	Bolt - zinc-chromate plated - TL 1/2 "	2.20
0198	3/16 x 3	Bolt - cad plated - TL 1/2 "	2.20
0200	3/16 x 3 1/4	Bolt - cad plated - TL 1/2 "	2.30
0201	3/16 x 3 5/8	Bolt - cad plated - TL 1/2 "	2.50
0199	3/16 x 3 3/4	Bolt - cad plated - TL 1/2 "	2.60
0173	3/16 x 4 1/2	Stud - TLs 1 1/2" and 3/4"	2.80



	<b>3/16" NUTS</b>		
1005	3/16	Nut - plain hex - unplated	0.60
0243	3/16	Nut - plain hex - zinc plated	0.60
0183	3/16	Nut - brass	1.50
0445	3/16	Nut - nylock - brass - cad plated	2.00
1756	3/16	Nut - locknut - unplated	1.00
1894	3/16	Nut - dome - stainless	5.00
	<b>7/32" BSF</b>		
1320	7/32 x 3/4	Screw - csk - slotted - zinc plated	4.00
1159	7/32 x 1	Bolt - cad plated	3.00
1160	7/32 x 3	Bolt - cad plated	4.00
	<b>7/32" NUTS</b>		
1161	7/32	Nut - locknut - brass	2.00
	<b>1/4" BSF</b>		
2012	1/4 x 1/4	Grubscrew	2.00
0275	1/4 x 5/16	Grubscrew	1.00
0238	1/4 x 3/8	Setscrew - Grade R - zinc plt	2.00
2016	1/4 x 3/8	Grubscrew - Allen drive	1.50
1053	1/4 x 1/2	Setscrew - mild - zinc plated	1.00
1504	1/4 x 1/2	Setscrew - Grade R - zinc plated	1.50
1726	1/4 x 1/2	Setscrew - black	1.50
1826	1/4 x 1/2	Setscrew - stainless	3.80
0181	1/4 x 1/2	Screw - csk - slotted - unplated	1.00
1539	1/4 x 1/2	Screw - csk - slotted - zinc plated	1.50
0562	1/4 x 1/2	Screw - csk- slotted - cad pass	0.50
1283	1/4 x 1/2	Screw - cheesehead - slotted - chromed	2.50
1929	1/4 X 1/2	Screw - cheesehead - slotted - stainless	3.50
1394	1/4 x 1/2	Screw - csk - slotted - brass	1.00
2017	1/4 x 1/2	Grubscrew - Allen drive	1.80
0972	1/4 x 5/8	Screw - roundhead - brass - slotted	1.00
1371	1/4 x 5/8	Screw - roundhead - slotted - dimpled - zincchromate plated	2.00
0126	1/4 x 5/8	Screw - mushroom head - cad plated	1.00
1614	1/4 x 5/8	Capscrew - socket head - black	1.00
1760	1/4 x 5/8	Screw - csk - slotted - zinc plated	1.00
1889	1/4 x 5/8	Screw - csk - slotted - cad plt	1.50
1732	1/4 x 3/4	Bolt - unplated	1.00
1772	1/4 x 3/4	Bolt - HT - TL 3/8" -	1.60
1124	1/4 x 3/4	Setscrew - mild - zinc plated	1.50
1281	1/4 x 3/4	Setscrew - HT (Grade R) - zinc plated	2.00
1066	1/4 x 3/4	Capscrew - socket head - zinc plated	1.00
1354	1/4 x 3/4	Capscrew - socket head - chrome	3.00
0128	1/4 x 3/4	Screw - csk - slotted with dimple - zinc plated - TL 1/2"	1.00
0578	1/4 x 3/4	Screw - csk- slotted - zinc - fully threaded	2.00
0366	1/4 x 3/4	Screw - csk - socket head	1.00
1188	1/4 x 3/4	Screw - raised csk slotted - zinc plated	2.50
0237	1/4 x 3/4	Screw- mushhead-TL 1/2"- zinc-chromate	2.00
0844	1/4 x 7/8	Bolt - HT	1.00
0990	1/4 x 7/8	Setscrew - HT - zinc plated	1.50
0787	1/4 x 7/8	Screw - cheesehead - slotted	1.50
0406	1/4 x 1	Bolt - TL 3/4" - zinc plated	1.50
0814	1/4 x 1	Bolt - HT	1.50
0144	1/4 x 1	Bolt - alloy	1.50
0577	1/4 x 1	Setscrew - zinc plated - mild	1.00
1054	1/4 x 1	Setscrew - HT - zinc plated	2.00
1398	1/4 x 1	Setscrew - HT - black	2.00
0560	1/4 x 1	Screw - csk- slotted - zinc-	2.20

		fully threaded	
1890	¼ x 1	Screw – csk - slotted with dimple- cad plated – TL ½”	2.00
1794	¼ x 1	Screw – raised csk – slot - steel	3.00
0442	¼ x 1	Screw – raised csk – brass	1.00
1412	¼ x 1	Screw – raised csk – slot-stainless	3.00
0367	¼ x 1	Screw – csk - socket head – black- TL 7/8”	2.00
0408	¼ x 1	Screw – roundhead – slotted - zinc plated	2.00
0037	¼ x 1	Screw – cheesehead – slotted – TL ½” - unplated	NLA
1591	¼ x 1	Screw – cheesehead – slotted – zinc plated	2.50
2013	¼ X 1	Screw – mushroom/brazier head – slot – full thread - cad plated	1.20
1383	¼ x 1	Capscrew – socket head – zinc plated	1.50
1384	¼ x 1	Capscrew – socket head- stainless	2.50
2018	¼ x 1	Grubscrew – Allen drive	2.00
1977	¼ x 1 1/8	Screw – mushroom head – slotted with dimple – TL ½” – cad plt	1.50
0069	¼ x 1 1/8	Bolt – TL ½” – cad plated	1.60
1516	¼ x 1 1/8	Bolt – HT – TL ½” - zincromate	2.00
0695	¼ x 1 1/8	Stud – ¼”shoulder – unplated	1.00
1733	¼ x 1 1/8	Stud – ¼” shoulder – cad plated	3.00
0255	¼ x 1 1/8	Stud – 1/8” shoulder – cad plated	3.00
0843	¼ x 1 ¼	Bolt – HT Grade R - TL ½” – zinc plated	2.80
1359	¼ x 1 ¼	Setscrew – mild – zinc plated	1.50
1981	¼ X 1 ¼	Screw – csk- slotted – zinc- fully threaded	2.00
0965	¼ x 1 ¼	Screw –raised csk – slotted - fully threaded	1.50
0110	¼ x 1 ¼	Screw – cheesehead – copper	3.00
0252	¼ x 1 ¼	Stud – drilled – cad plated	3.00
0253	¼ x 1 ¼	Stud – shoulder 1/8” – black	3.00
0691	¼ x 1 ¼	Stud – 1/8” shoulder – cad plated	3.00
0254	¼ x 1 ¼	Stud – wide shoulder	3.00
1399	¼ x 1 ¼	Capscrew – socket head – zinc plated	1.50
0256	¼ x 1 5/16	Stud – medium shoulder – cad plated	2.00
0257	¼ x 1 5/16	Stud – wide shoulder – cad plated	2.00
0001	¼ x 1 3/8	Bolt – cad plated – TL ¾”	1.50
0258	¼ x 1 3/8	Stud – cad plated	3.00
1989	¼ x 1 3/8	Stud - black	3.00
1997	¼ x 1 3/8	Bolt – HT – TL ¾”	2.00
0259	¼ x 1 7/16	Stud – cad plated	3.00
1291	¼ x 1 ½	Bolt – HT – zinc plated – TL ½ ”	2.50
0075	¼ x 1 ½	Bolt – HT – TL ¾”	2.60
1917	¼ x 1 ½	Bolt – HT – TL ½” - cad plated	2.50
0054	¼ x 1 ½	Setscrew - black	2.00
1918	¼ x 1 ½	Setscrew – HT - zinclated	2.00
1028	¼ x 1 ½	Screw – csk – slotted – zinc plated	2.50
1762	¼ x 1 ½	Screw – csk – slot with dimple – TL ½” - cad plated	2.00
0352	¼ x 1 ½	Screw – csk – socket head	1.50
1400	¼ x 1 ½	Capscrew – socket head – TL 1” - zinc plated	2.00
0184	¼ x 1 5/8	Bolt – TL ½ ” – small head – unplated	1.50
1724	¼ X 1 5/8	Bolt – HT – cad plated – TL ½”	1.50
0231	¼ x 1 11/16	Bolt – HT - cad plated – TL ½ ”	1.50
0062	¼ x 1 5/8	Screw – full thrd - mushroomhead	1.50
0225	¼ x 1 ¾	Bolt – TL ½” – unplated - seconds	1.50
1288	¼ x 1 ¾	Bolt – HT – cad plated – thin head – TL ½ ”	1.50
0002	¼ x 1 ¾	Bolt – HT – cad plated – TL ¾”	1.50
0053	¼ x 1 ¾	Setscrew – cad plated	1.00
1391	¼ x 1 ¾	Setcrew – zinc plated	2.00
0353	¼ x 1 ¾	Screw – csk – socket head	2.00

0068	1/4 x 1 3/4	Screw - raised csk - TL 1/2" - cad plated - dimple in slot	2.00
0261	1/4 x 1 3/4	Stud - TL 3/8" - cad plated	2.00
0260	1/4 x 1 3/4	Stud - TL 1/2" - cad plated	2.00
1401	1/4 X 1 3/4	Capscrew - socket head - TL 1 1/4" - zinc plated	2.50
0111	1/4 x 2	Bolt - unplated	2.00
1060	1/4 x 2	Bolt - zinc-chromate - TL 1/2"	2.00
0140	1/4 x 2	Bolt - HT - cad plated - TL 1/2" RO	2.00
0058	1/4 x 2	Bolt - HT- cad plated - TL 1/2" E20	2.00
0407	1/4 x 2	Setscrew - mild - unpl	2.00
1554	1/4 x 2	Setscrew - mild - zinc plated	2.00
1734	1/4 x 2	Setscrew - HT - unplated	2.50
0064	1/4 x 2	Setscrew - cad plated	2.50
1286	1/4 x 2	Screw - csk - slotted - zinc plated	3.00
1751	1/4 x 2	Screw - mushroom/brazier - slot - full thread - cad	3.00
0003	1/4 x 2 1/4	Bolt - cad plated	1.60
0004	1/4 x 2 1/4	Bolt - HT - cad plated - TL 1/2"	1.00
0171	1/4 x 2 1/4	Stud - 1/2" thread length each end	3.00
0082	1/4 x 2 3/8	Screw - raised head csk - zinc plated	3.00
0107	1/4 x 2 1/2	Bolt - cad plated	2.00
0049	1/4 x 2 1/2	Bolt and nut - TL 3/4"	2.00
0731	1/4 x 2 1/2	Bolt - HT - black - TL 1/2 "	2.00
0125	1/4 x 2 1/2	Screw - roundhead - zinc plated	1.00
1402	1/4 x 2 1/2	Capscrew - socket head - TL 1 " - zinc plated	2.20
0005	1/4 x 2 5/8	Bolt - cad plated	1.50
0113	1/4 x 2 5/8	Bolt	1.50
0236	1/4 x 2 5/8	Bolt - drilled - unplated - TL 1/2"	1.50
0365	1/4 x 2 5/8	Screw - roundhead	2.00
0006	1/4 x 2 3/4	Bolt - TL 3/4" - cad plated	1.70
0127	1/4 x 2 3/4	Screw - raised csk - slotted - TL 1/2"	2.00
0170	1/4 x 2 3/4	Stud - TL 1/2"	3.00
1403	1/4 x 2 3/4	Capscrew - socket head - TL 1 " - zinc plated	2.50
1390	1/4 x 2 3/4	Capscrew - socket head - TL 1 1/4 " - zinc plated	2.50
1422	1/4 x 2 3/4	Capscrew - socket head - TL 1 1/4 " - black	2.50
0066	1/4 x 2 7/8	Bolt - cad plated	2.00
0007	1/4 x 3	Bolt - cad plated	2.00
0602	1/4 x 3	Screw - roundhead	2.00
1695	1/4 x 3	Screw - csk - slot-fully threaded - cad plated	2.00
1752	1/4 x 3	Screw - mush - full threaded - cad plated	3.00
0061	1/4 x 3 1/8	Bolt - cad plated	3.00
0008	1/4 x 3 1/4	Bolt - HT - cad plated	3.00
0009	1/4 x 3 1/2	Bolt - cad plated	3.00
1204	1/4 x 3 1/2	Screw - slotted - csk with dimple - zinc-chromate - TL 1/2"	3.00
1568	1/4 x 3 3/8	Stud	5.00
0010	1/4 x 3 5/8	Bolt - cad plated	2.00
0226	1/4 x 3 5/8	Bolt - HT - TL 5/8"	3.50
1753	1/4 x 3 5/8	Screw - mush-head - slot - TL 1/2"	4.00
0011	1/4 x 3 3/4	Bolt - cad plated	2.50
0109	1/4 x 3 3/4	Bolt - duralumin	3.00
0012	1/4 x 3 7/8	Bolt - cad plated	2.20
0013	1/4 x 4	Bolt - cad plated	2.20
0190	1/4 x 4 1/8	Bolt - cad plated - TL 1/2"	2.80
0154	1/4 x 4 1/4	Bolt - thick head	2.50
0155	1/4 x 4 1/4	Bolt - thin head	2.50

0459	¼ x 4 ¼	Bolt - HT - cad plated	2.50
0014	¼ x 4 ½	Bolt - HT - cad plated	3.20
0083	¼ x 4 5/8	Bolt - TL ½" - cad plated	3.50
0845	¼ x 4 ¾	Bolt - HT - cad plated	3.50
0065	¼ x 5	Bolt - black	3.70
0776	¼ x 5	Bolt - cad plated	4.00
0412	¼ x 5 ¼	Bolt - HT	4.70
0077	¼ x 5 ½	Bolt - cad plated	5.00
1192	¼	Allthread - zinc plated	3.00 per inch
1193	¼	Allthread - stainless	4.00 per inch
	<b>¼" BSF NUTS</b>		
1304	¼	Nut - plain - unplated	0.50
1178	¼	Nut - plain hex - zinc plated	0.60
0221	¼	Nut - plain hex - cad plated	0.60
0855	¼	Nut - plain hex - brass	2.00
1310	¼	Nut - stainless	2.50
1038	¼	Nut - HT - cad plated	1.00
1625	¼	Nut - HT - Grade R - zinc plated	1.50
0076	¼	Nut - left hand thread - alloy	2.00
0071	¼	Nut - slotted - cad plated	4.00
0517	¼	Nut - castle - cad plated	3.00
1755	¼	Nut - castle - zinc plated	3.00
0806	¼	Nut - castle - HT	2.50
0606	¼	Dome/acorn nut - flat top	5.00
1092	¼	Dome/acorn nut - brass	3.00
1566	¼	Dome nut - chromed	6.00
1887	¼	Dome nut - stainless	5.60
1841	¼	Dome nut - 3/8" tall - round top - unplated	4.00
0405	¼	Locknut - unplated	0.40
1338	¼	Locknut - zinc plated	0.60
1741	¼	Locknut - cad plated	2.00
1778	¼	Locknut - brass	2.50
1010	¼	Locknut - left hand thread - brass	3.00
1234	¼	Nut - fibrelock - cad plated	2.00
0685	¼	Nut - nylock - zinc chromate	2.00
1163	¼	Nut - nylock - zinc plated	2.00
0182	¼	Nut - anchor - elliptic -2 holes	2.00
0189	¼	Wingnut - brass	5.00
1280	¼	Manifold nuts - brass - 5/16" deep	3.00
0523	¼	Manifold nuts - brass - 7/16" deep	3.00
1574	¼	Nut - deep (6.5 mm)	4.00
1575	¼	Nut - deep - cad plated	4.00
	<b>5/16" BSF</b>		
2019	<b>5/16 x 5/16</b>	Grubscrew - Allen drive	1.50
0187	5/16 x 3/8	Screw - cheesehead - brass - slotted	2.00
1444	5/16 X 7/16	Setscrew - HT - cad plated	1.50
0402	5/16 x ½	Setscrew - black	1.50
1570	5/16 x ½	Setscrew - HT - zinc plated	1.50
0272	5/16 x ½	Grubscrew - stainless	1.50
0401	5/16 x 5/8	Setscrew - zinc plated	1.50
0264	5/16 x 5/8	Capscrew - socket head - unplated	2.00
1191	5/16 x ¾	Setscrew - zinc plated - mild	2.00

1662	5/16 x 3/4	Setscrew - HT - Grade R	2.00
0593	5/16 x 3/4	Screw - csk - slotted - zinc plated	2.00
0273	5/16 x 3/4	Grubscrew / Stud (Allen drive)	2.00
0124	5/16 x 7/8	Bolt - HT - TL 5/8" - cad plated	1.50
1406	5/16 X 7/8	Bolt - HT - unplated -TL 5/8"	1.50
0133	5/16 x 7/8	Bolt - alloy	1.50
0598	5/16 x 7/8	Setscrew - stainless	2.20
1271	5/16 x 15/16	Bolt - HT - TL 1/2" - cad plated	2.00
	5/16 x 1	Bolt - HT- TL 1/2'	2.00
0853	5/16 x 1	Setscrew - zinc plated - mild	2.00
0977	5/16 x 1	Setscrew - zinc plated - HT (Grade R)	2.50
1982	5/16 X 1	Setscrew - domed hex head - stainless	9.00
0444	5/16 x 1	Screw - csk - slotted - zinc plated	2.50
1748	5/16 x 1	Screw - csk - slotted - unplated	2.00
0121	5/16 x 1	Screw - cheesehead - cad plated	2.00
1407	5/16 X 1	Screw - csk - slotted - brass	2.50
1747	5/16 x 1	Screw - roundhead - unplated	2.00
1549	5/16 x 1	Capscrew - chromed	3.20
1616	5/16 x 1	Capscrew - socket head - black	2.00
1665	5/16 x 1	Screw - mushroom - slot -TL 1/2"	2.00
1443	5/16 X 1 1/8	Bolt - HT - TL 1/2" - cad plated	1.50
1759	5/16 x 1 1/8	Screw - csk - slot -TL 1/2" - cad	2.00
0179	5/16 x 1 1/4	Bolt - HT- cad plated - TL 1/2"	2.00
1041	5/16 x 1 1/4	Bolt - mild - unplated - TL 7/8"	1.50
1535	5/16 x 1 1/4	Bolt - mild - zinc plated - TL 3/4"	1.60
0138	5/16 x 1 1/4	Bolt - HT -cad plated - TL 1/2"	2.50
1569	5/16 x 1 1/4	Bolt - HT - zinc plated - TL 1/2 "	3.00
1301	5/16 x 1 1/4	Setscrew - mild - unplated	2.00
1583	5/16 x 1 1/4	Setscrew - HT - zinc plated	2.50
0165	5/16 x 1 1/4	Stud	5.00
1346	5/16 x 1 1/4	Screw - csk - socket head	2.50
1599	5/16 x 1 1/4	Capscrew - socket head - zinc plated	1.50
1617	5/16 x 1 1/4	Capscrew - socket head - fully threaded - black	2.00
0831	5/16 x 1 3/8	Bolt - TL 7/8" - cad plated	4.50
1800	5/16 x 1 7/16	Bolt - TL 1/2" - cad plated	2.50
1572	5/16 x 1 1/2	Bolt - HT - TL 5/8" - zinc-chromate	2.00
1361	5/16 x 1 1/2	Bolt - Grade R - TL 3/4" - zinc plated	3.50
0139	5/16 x 1 1/2	Bolt - Grade 8.8 - TL 3/4 " - zinc plated	2.30
1598	5/16 x 1 1/2	Bolt - Grade R - TL 7/8" - zinc plated	2.50
0403	5/16 x 1 1/2	Setscrew - mild - zinc plated	2.00
1919	5/16 X 1 1/2	Setscrew - HT - zincplated	2.50
0413	5/16 x 1 1/2	Setscrew - round knurled head - brass + knurled nut	6.00
0518	5/16 x 1 1/2	Capscrew - socket head	1.50
0443	5/16 x 1 1/2	Screw - csk - socket head	1.00
1419	5/16 x 1 1/2	Stud - TL 3/8" + 5/8"	4.00
0015	5/16 x 1 5/8	Bolt - cad plated - HT - TL 5/8"	5.00
0185	5/16 x 1 3/4	Bolt - TL 1/2 - cad plated	2.20
0070	5/16 x 1 3/4	Bolt - HT - zincchromate plated	2.00
1885	5/16 X 1 3/4	Bolt - HT - cad plated	2.50
0481	5/16 x 1 3/4	Capscrew - socket head	2.00
0480	5/16 x 1 3/4	Screw - csk - socket head	2.00
0051	5/16 x 1 7/8	Bolt - cad plated - TL 1/2"	2.00
0067	5/16 x 2	Bolt - cad plated -HT - TL 5/8"	2.50
1442	5/16 x 2	Bolt - cad plated - TL 5/8"	2.00
1514	5/16 X 2	Stud - TL 1/2 and 5/8	4.00
1530	5/16 X 2	Stud - TL 1/4 and 7/8"	4.00
1363	5/16 x 2	Bolt - Grade R - zinc plated - TL 3/4"	4.00
1536	5/16 x 2	Bolt - mild - zinc plated - TL 5/8"	3.50
1801	5/16 X 2	Bolt - HT - TL 1/2" - cad plated	3.50
0605	5/16 x 2	Setscrew -	2.00

0020	5/16 x 2	Screw – csk – slotted – zinc plated	2.00
1696	5/16 x 2	Screw – csk – slotted - unplated	2.00
1550	5/16 x 2	Capscrew - chromed	4.50
0042	5/16 x 2 ¼	Bolt – cad plated HT – TL 5/8”	3.00
0038	5/16 x 2 ¼	Bolt – HT – TL 7/8”	2.50
0265	5/16 x 2 ¼	Capscrew – socket head	3.00
1387	5/16 x 2 ¼	Stud – TL 5/8 and 1 1/8	3.00
1515	5/16 X 2 ¼	Stud – TL ½ and 3/4	3.00
0100	5/16 x 2 3/8	Bolt – cad plated – TL ½”	2.00
0514	5/16 x 2 3/8	Stud	2.50
1541	5/16 x 2 ½	Bolt – cad plated – TL 5/8”	3.50
1537	5/16 x 2 ½	Bolt – mild –zinc plated – TL ¾’	2.80
1719	5/16 x 2 ½	Bolt – HT Grade 8.8 – TL ¾” – zinc plated	3.00
0262	5/16 x 2 ½	Capscrew – socket head	3.00
1718	5/16 X 2 ½	Screw – csk – TL ½” - zinc-chromate	3.00
1779	5/16 x 2 9/16	Bolt – HT – TL 5/8”- zinc-chromate	4.60
1382	5/16 x 2 5/8	Stud - TL 3/8 + ¾ - cad	5.20
0157	5/16 x 2 ¾	Bolt	2.20
0018	5/16 x 2 ¾	Bolt - HT – zincchromate plated – TL 5/8”	2.50
0263	5/16 x 2 ¾	Capscrew – socket head	3.00
1362	5/16 x 3	Bolt – zinc plated – HT – TL 5/8”	5.00
0024	5/16 x 3	Bolt – HT – TL 7/8” – “EZ”	4.50
0230	5/16 x 3 1/8	Bolt – cad plated – TL ½”	1.40
0162	5/16 x 3 ¼	Stud	3.50
1942	5/16 x 3 3/8	Bolt – HT – cad plt – TL 5/8”	4.20
1388	5/16 x 3 3/8	Stud – TL 5/8” + ¾”	4.20
0034	5/16 x 3 ¾	Bolt – HT - cad plated – TL ½”	4.50
0452	5/16 x 4	Bolt – HT – cad plt – TL ½”	6.00
1678	5/16 x 4 ½	Bolt – HT – zinc-chromate – TL ½”	5.00
0663	5/16 x 5	Bolt – cad plated – TL ½”	5.00
1180	5/16 x 5	Bolt – cad plated – TL 7/8”	5.00
0704	5/16 x 5 ½	Bolt – cad plated – TL 1”	5.00
1312	5/16	Allthread – stainless	5.00 p inch
	<b>5/16” NUTS</b>		
0222	5/16	Nut – plain hex – unplated	0.50
0404	5/16	Nut – hex – zinc plated	1.20
1061	5/16	Nut – hex – cad plated	1.20
1624	5/16	Nut – HT – EN8 - unplated	3.00
1543	5/16	Nut – hex – 8.4 mm deep - black	2.50
1576	5/16	Nut – hex – 7.9 mm deep - unpl	2.00
1577	5/16	Nut – hex – 8.0 mm deep– cad plated	2.50
0528	5/16	Nut – hex – 11/16” deep – cad plated	1.00
0829	5/16	Nut – brass	2.00
1311	5/16	Nut – stainless	3.50
1011	5/16	Nut – left hand thread – alloy	2.00
0835	5/16	Nut – slotted – zinc – 7 mm deep	1.00
1660	5/16	Nut – slotted – HT – cad – 9.7 mm deep	2.00
0466	5/16	Nut – castle - unplated	2.50
0830	5/16	Nut – castle – cad plated	3.00
1746	5/16	Nut – castle - zinc plated	4.00
0516	5/16	Nut – dome / acorn – steel	3.50
1776	5/16	Nut – dome/acorn - stainless	7.00
1567	5/16	Nut – dome – chromed – 13 mm	6.50
0807	5/16	Locknut – zinc plated	1.00

1777	5/16	Locknut - cad plated	2.00
1799	5/16	Locknut - HT - unplated	2.00
1749	5/16	Locknut - unplated	1.00
1012	5/16	Locknut - left hand thread - steel	3.00
1013	5/16	Locknut-slotted- left hand thread - alloy	3.00
0687	5/16	Nut - nylock - 9.8 d -zinc-chromate	2.00
1750	5/16	Nut - nylock- 7.56 d - zinc-chromate	2.00
1164	5/16	Nut - nylock - zinc plated	2.50
0045	5/16	Nut - split thread lock ("Aerotight") Shallow Type	2.50
1273	5/16	Nut - split thread lock - ("Aerotight") Deep Type	2.70
0522	5/16	Nut - split thread lock - HT ("Aerotight')	2.80
0176	5/16	Wingnut	3.00
0188	5/16	Wingnut - brass	5.00
1008	5/16	Nut - anchor - red fibrelock - single tab	4.00
1923	5/16	Nut - anchor - double tab	5.00
0999	5/16	Manifold nut - brass -3/8" deep	4.00
0524	5/16	Manifold nut - brass - 1/2" deep	4.00
	<b>3/8" BSF</b>		
0105	3/8 x 3/8	Setscrew	1.50
0267	3/8 x 3/8	Capscrew - socket head	2.00
2020	3/8 x 3/8	Grubscrew - Allen drive	3.20
1615	3/8 x 1/2	Capscrew - socket head - black	2.00
1057	3/8 x 1/2	Setscrew - HT - black	2.00
0159	3/8 x 5/8	Bolt - cad plated	2.00
0410	3/8 x 3/4	Setscrew - HT - zinc plated	2.20
1350	3/8 x 3/4	Setscrew - mild - zinc plated	2.00
0368	3/8 x 3/4	Capscrew - socket head	2.50
1375	3/8 X 3/4	Screw - csk - socket head	2.00
1386	3/8 x 3/4	Screw - csk - brass	3.00
0841	3/8 x 7/8	Bolt - HT	2.00
0276	3/8 x 7/8	Screw - csk - zinc plated	2.00
0409	3/8 x 1	Setscrew - unplated - mild	1.00
1349	3/8 x 1	Setscrew - mild - zinc plated	3.00
1292	3/8 x 1	Setscrew - HT - zinc plated	3.50
1445	3/8 x 1	Screw - csk - socket head	2.20
1540	3/8 x 1	Screw - csk - slotted - zinc plated -	2.50
0351	3/8 x 1	Capscrew - socket head - HT	2.00
1372	3/8 x 1	Bolt - HT - TL 5/8" - head 3/4"across - cad plated	2.50
1610	3/8 x 1	Bolt - HT - cad - TL 5/8"	2.00
1416	3/8 x 1	Bolt - Grade R - TL 3/4"-zinc plated	2.00
0143	3/8 x 1	Screw - cheesehead - cad plated	3.00
1531	3/8 X 1	Stud - brass - TL 1/4 and 3/8"	3.00
2021	3/8 x 1	Grubscrew - Allen drive	3.00
0147	3/8 x 1 1/8	Setscrew - cad plated - slotted hex head	2.00
0664	3/8 x 1 1/8	Setscrew - zinc plated - Grade R	1.00
0161	3/8 x 1 1/4	Bolt - thick head	1.00
0468	3/8 x 1 1/4	Bolt - HT	1.00
0026	3/8 x 1 1/4	Bolt - HT - TL 5/8" - cad plated	2.00
1446	3/8 x 1 1/4	Screw - csk - socket head	2.50
1909	3/8 X 1 1/4	Screw - csk - slot - TL 5/8"- cad	5.00
0025	3/8 x 1 3/8	Bolt - HT - TL 5/8"	2.00
0114	3/8 x 1 1/2	Bolt - HT - TL 5/8" zincchromate	2.50
1096	3/8 x 1 1/2	Bolt - HT - TL 5/8"	2.00
1920	3/8 x 1 1/2	Setscrew - HT - zincplated	3.00
1903	3/8 x 1 1/2	Bolt - HT - TL 1" - zincplated	3.80
1235	3/8 x 1 1/2	Capscrew - black - fully threaded	2.20
2022	3/8 x 1 1/2	Grubscrew - Allen drive	3.50
0027	3/8 x 1 5/8	Bolt - HT - TL 5/8"	3.00

0172	3/8 x 1 5/8	Stud - TL 5/8" - 1/4" shoulder - cad plated	5.00
1397	3/8 x 1 3/4	Stud	5.00
0029	3/8 x 1 3/4	Bolt - HT - TL 5/8" -zinc-chromate	3.00
1901	3/8 x 1 7/8	Bolt - TL 5/8 - cad plated	3.00
0842	3/8 x 2	Bolt and nut - stainless; TL 3/4"	4.00
0017	3/8 x 2	Bolt - HT- zinc-chromate plated - TL 5/8"	3.50
0711	3/8 x 2	Screw - csk - zinc plated	2.50
1360	3/8 x 2 1/8	Bolt - HT - unplated - TL 5/8"	3.00
0834	3/8 x 2 1/8	Bolt - HT - cad plated - TL 5/8"	3.50
1902	3/8 x 2 3/8	Bolt - HT - TL 5/8" - cad plt	3.50
0616	3/8 x 2 1/2	Bolt - HT - TL 3/4 " - black GKN	3.00
0266	3/8 x 2 1/2	Capscrew -socket head - TL 11/4	4.00
0608	3/8 x 2 7/8	Bolt - HT - cad plated - TL 5/8"	5.00
1348	3/8 x 3	Setscrew - unplated	5.00
1563	3/8 x 3	Bolt - HT - TL 3/4" - zinc plt	7.50
0836	3/8 x 3 1/8	Bolt - HT - TL 5/8" - cad plated	5.00
1767	3/8 x 3 1/2	Bolt - HT - cad plated - TL 5/8"	6.00
0838	3/8 x 4	Bolt - HT - zincchromate plated - TL 5/8"	6.00
0840	3/8 x 4 3/4	Bolt - HT - cad plated - TL 5/8"	6.00
0839	3/8 x 5	Bolt - HT - cad plated - TL 3/4"	7.00
0837	3/8 x 6 1/8	Bolt - HT - cad plated	7.00
1183	3/8	Allthread - mild steel	2.00 per inch
0520	3/8	Allthread - stainless	8.00 per inch
	<b>3/8" NUTS</b>		
1299	3/8	Nut - plain hex - unplated	1.00
0241	3/8	Nut - plain hex - chamfer both sides - zinc plated	1.80
1930	3/8	Nut - plain hex - chamfer one side - zinc plated	1.80
0527	3/8	Nut - hex - 0.510" deep	0.60
1357	3/8	Nut - 9.3 mm deep - black	5.00
1578	3/8	Nut - 9.3 mm deep - unplated	4.00
1579	3/8	Nut - 9.3 mm deep - cad plated	5.00
1294	3/8	Nut - plain hex - brass	2.20
0519	3/8	Nut - stainless steel	5.00
0966	3/8	Nut - HT - Grade EN8 - unplated	3.60
0232	3/8	Nut - left hand thread - cad plated	3.00
0808	3/8	Nut - slotted	4.00
0052	3/8	Nut - slotted - left hand thread - cad plated	3.00
0467	3/8	Nut - castle - unplated	3.00
1755	3/8	Nut - castle - zinc plated	3.00
1182	3/8	Nut - dome - chrome - 3/8 hi i/s	8.00
0134	3/8	Locknut - unplated	1.00
1612	3/8	Locknut - zinc plated	2.00
1449	3/8	Locknut - cad plated	2.00
1014	3/8	Locknut - left hand thread	2.00
1184	3/8	Nut - lock - HT - slotted	3.00
0686	3/8	Nut - nylock - zinc chromate plated	1.50
0930	3/8	Nut - nylock - zinc plated	2.50
1740	3/8	Nut - nylock - cad plated	2.00
1421	3/8	Nut - split-thread locknut / Philidas	2.00
0098	3/8	Wingnut - brass - unplated	2.60
1891	3/8	Wingnut - brass - cad plated	6.00
0099	3/8	Wingnut - alloy - with wire holes	3.00
1507	3/8	Wingnut - steel - roughcast	2.00
1295	3/8	Manifold nut - brass - 7/16" deep	3.50



0525	3/8	Manifold nut – brass – 5/8" deep	3.20
	<b>7/16" BSF</b>		
1669	7/16 X 3/4	Setscrew – Grade R - zinc plated	4.50
1910	7/16 X 3/4	Setscrew - cad	5.50
0920	7/16 x 1	Bolt – HT – cad plated	2.50
0479	7/16 x 1	Setscrew – zinc plated - mild	4.00
0770	7/16 x 1	Setscrew – HT – black	4.00
1279	7/16 x 1 1/4	Bolt – HT – TL 3/4" – zinc-chromate plated	3.00
0551	7/16 x 1 1/4	Setscrew	4.00
0599	7/16 x 1 1/2	Bolt – HT – TL 5/8" –	3.00
1648	7/16 X 1 1/2	Setscrew – HT -black - seconds	3.00
0072	7/16 x 1 3/4	Bolt - HT – TL 3/4"	2.60
0552	7/16 x 2	Bolt – TL 1" - unplated	2.60
0822	7/16 x 2	Bolt – HT – TL 7/8"	2.80
1229	7/16 x 2	Setscrew	3.00
0135	7/16 x 2 1/4	Bolt - HT – TL 5/8"-zinc-chromate	3.00
1285	7/16 x 2 1/4	Bolt - HT – TL 3/4"-cad plated	3.00
1679	7/16 x 2 3/8	Bolt – HT – cad plated – TL 3/4"	5.50
1232	7/16 x 2 1/2	Bolt – TL 1" - mild	3.00
1680	7/16 X 2 1/2	Bolt – HT – cad plated – T.L.3/4"	6.00
0132	7/16 x 2 5/8	Bolt – mild – TL 1"	3.00
1230	7/16 x 2 3/4	Bolt – TL 1"	3.00
1231	7/16 x 3	Bolt -	3.00
0928	7/16 x 3	Bolt – HT – TL 5/8"	6.00
0137	7/16 x 3	Setscrew – HT (Grade R)	5.00
0927	7/16 x 3 1/4	Bolt – HT – TL 3/4"	5.00
0046	7/16 x 3 1/2	Bolt – zinc plated or black -mild - TL 7.8"	5.00
0414	7/16 x 3 1/2	Bolt - HT – TL 1 1/8"	5.00
1958	7/16 X 4	Bolt – HT – TL 3/4"	7.00
1966	7/16 X 4 5/8	Bolt – HT – cad – TL 3/4"	7.00
0420	7/16 x 5	Bolt	7.00
1007	7/16 x 5	Bolt – HT	8.00
0031	7/16 x 6	Bolt – HT - cad plated – TL 3/4 "	9.00
0775	7/16 x 6	Bolt – HT (Grade R)- black – TL 1"	9.00
	<b>7/16" NUTS</b>		
0223	7/16	Nut – plain hex – unplated	2.00
1505	7/16	Nut – plain hex – zinc plated	2.20
1605	7/16	Nut – plain hex – cad plated	2.50
0601	7/16	Nut – plain hex – HT – cad plated	3.00
1016	7/16	Nut – left hand thread	4.00
1237	7/16	Nut – slotted – mild – unplated	4.50
1236	7/16	Nut – slotted – mild – zinc plated	5.00
1686	7/16	Nut – slotted – mild – cad plated	5.00
0828	7/16	Nut – slotted – HT – cad plated	5.50
1687	7/16	Nut – slotted – mild – zinc-chromate	5.00
1233	7/16	Nut – castle – unplated	3.00
0156	7/16	Nut – castle – cad plated	3.50
1018	7/16	Nut – dome – zinc plated	5.50
1742	7/16	Nut – dome - chrome	6.00
1040	7/16	Locknut – zinc plated	2.00
1754	7/16	Locknut – HT – slotted – cad plated	4.00
1015	7/16	Locknut – left hand thread	3.00
0063	7/16	Locknut – left hand thread – brass	3.00
1165	7/16	Nut – nylock – zinc plated	5.00
1932	7/16	Nut – fibrelock - cadplated	5.50

0028	7/16	Nut - split thread lock - 10.3 mm deep ( "Aerotight' )	5.00
0122	7/16	Nut - split thread lock - 14.2 mm deep ( "Aerotight' )	5.00
	<b>1/2" BSF</b>		
0274	1/2 x 1/2	Grubscrew	4.00
1379	1/2 x 1/2	Screw - csk - socket head	12.00
0652	1/2 x 3/4	Screw - csk - slotted	5.00
1313	1/2 x 3/4	Screw - csk - socket head	10.00
1913	1/2 x 3/4	Grubscrew - black	6.00
0103	1/2 x 7/8	Setscrew and nut	5.00
1224	1/2 x 1	Setscrew - mild - unplated	3.00
1322	1/2 x 1	Setscrew - mild - zinc plated	3.00
0097	1/2 x 1	Setscrew - HT - cad plated	3.20
1314	1/2 X 1	Screw - csk - socket head	12.00
1744	1/2 x 1	Bolt - mild - cad plated	5.00
0094	1/2 x 1 1/8	Setscrew	2.50
1307	1/2 x 1 1/8	Bolt - HT - zinc-chromate	2.50
1308	1/2 X 1 3/16	Bolt - HT - zinc-chromate	4.00
1309	1/2 X 1 1/4	Bolt - HT - zinc-chromate	4.50
1315	1/2 x 1 1/4	Screw - csk - socket head	10.00
1395	1/2 x 1 1/4	Setscrew - black - Grade R	4.50
1757	1/2 x 1 1/4	Setscrew - unplated	3.00
1886	1/2 x 1 1/2	Bolt - HT - cad plated	5.00
1225	1/2 x 1 1/2	Setscrew - unplated	3.00
1534	1/2 x 1 1/2	Setscrew - mild - zinc plated	4.00
0561	1/2 x 1 1/2	Capscrew - socket head	5.00
1908	1/2 X 1 1/2	Socket screw - csk - Allen drive	8.00
1552	1/2 X 1 5/8	Stud - bronze	8.00
1447	1/2 x 1 3/4	Screw - csk - socket head	12.00
1448	1/2 x 1 3/4	Stud - brass	9.00
0826	1/2 x 1 7/8	Bolt - HT - TL 5/8"	3.00
1336	1/2 x 2	Setscrew - mild - zinc plated	2.50
0081	1/2 x 2	Setscrew - HT (grade R)	5.00
0825	1/2 x 2 1/8	Bolt - HT - TL 5/8"	5.00
1788	1/2 x 2 1/4	Bolt - stainless - TL 1"	14.00
0136	1/2 x 2 3/8	Bolt - HT - cad plated - TL 7/8"	5.50
0120	1/2 x 2 3/8	Setscrew	4.00
0145	1/2 x 2 1/2	Setscrew	4.00
0268	1/2 x 2 1/2	Capscrew -socket head -TL 1 1/2"	4.00
1226	1/2 x 2 1/2	Bolt - TL 1" - mild - unplated	4.00
1985	1/2 x 2 1/2	Bolt - HT - TL 3/4" - cad plated	6.00
0773	1/2 x 2 5/8	Bolt - HT - cad plated	4.50
0411	1/2 x 3	Bolt - black - TL 1 1/4"	4.50
1652	1/2 x 3	Bolt - "40T" T.L. 1" - plus nut- seconds	4.00
0269	1/2 x 3	Capscrew - socket head - unplated - TL 1 1/4"	4.50
1562	1/2 X 3	Capscrew - socket head - black - TL 1 1/2"	4.50
0050	1/2 x 3 1/4	Bolt and nut	4.50
0160	1/2 x 3 1/2	Bolt and nut	5.50
1284	1/2 x 3 1/2	Capscrew - Unbrako - TL 1 3/4"- black	5.50
0117	1/2 x 3 3/4	Bolt - mild - T.L. 1"	5.20
0270	1/2 x 3 7/8	Capscrew - socket head	5.20
0818	1/2 x 4	Bolt - HT	6.00
0813	1/2 x 4 1/2	Bolt - HT - TL 1 1/8 "	6.00
1895	1/2 x 4 1/2	Bolt - mild - TL 1 1/4"	4.00
1117	1/2 x 4 3/4	Bolt - HT - TL 7/8" - cad plated	6.50
1441	1/2 X 4 7/8	Bolt - HT - TL 7/8" - cad plated	7.00
0721	1/2 x 5	Bolt - cad plated - TL 1 1/8 "	7.00

0820	1/2 x 6	Bolt - HT - TL 1"-GKN Gr R	8.00
0595	1/2	Allthread - stainless	6.00 per inch
	<b>1/2" NUTS</b>		
0224	1/2	Nut - plain hex - unplated	1.20
1062	1/2	Nut - plain hex - zinc plated	2.50
0594	1/2	Nut - hex - stainless	4.00
1228	1/2	Nut - HT - black	4.00
1622	1/2	Nut - plain hex - cad plated	2.00
0087	1/2	Nut - slotted - zinc plated	3.50
1289	1/2	Nut - slotted - aluminium	4.00
1073	1/2	Nut - slotted - HT - cad plated	2.80
1559	1/2	Nut - slotted - unplated	3.00
1582	1/2	Nut - slotted - stainless	5.00
0091	1/2	Nut - castle - unplated	5.00
1321	1/2	Nut - castle - cad plated - 14.5 mm deep	5.00
1227	1/2	Nut - castle - zinc plated - 14.2 mm deep	5.00
0597	1/2	Nut - castle - HT - zinc plated -14.7 mm deep	5.00
0500	1/2	Locknut - zinc plated - 3/4" across flats	3.00
0116	1/2	Locknut - 13/16" across flats	3.00
0662	1/2	Locknut - HT - zinc-chromate	2.50
1743	1/2	Locknut - slotted - cad plated	2.00
1017	1/2	Locknut - left hand thread	4.00
0673	1/2	Nut - nylock	5.00
0149	1/2	Nut - split thread lock ("Aerotight") zinc-chromate	5.00
0106	1/2	Wingnut - brass	5.00
	<b>9/16" BSF</b>		
1525	9/16 X 1	Bolt - HT - fully threaded	5.00
0118	9/16 x 1 1/2	Bolt - mild - TL 1"	4.50
1196	9/16 X 1 1/2	Bolt - black - Grade R - TL 1 1/8"	4.50
0186	9/16 x 2	Bolt - mild - TL 1 1/4	5.00
0784	9/16 x 2	Bolt - HT - GKND - TL 1 1/8"	5.50
0705	9/16 x 2 1/2	Bolt	6.00
1199	9/16 X 3	Bolt - black - mild - TL 1 1/4"	6.00
1524	9/16 X 3 5/8	Bolt - HT - TL 1"	6.00
1198	9/16 X 4	Bolt - black - mild - TL 1 1/2"	7.00
1197	9/16 X 4	Bolt - HT - black - TL 1"	7.50
1195	9/16 x 4 1/2	Bolt - black - Grade R - TL 1 1/8"	8.00
	<b>9/16" NUTS</b>		
1201	9/16	Nut - plain hex - unplated	4.00
0033	9/16	Nut - plain hex - HT	4.00
0055	9/16	Locknut - left hand thread - brass	5.00
0925	9/16	Slotted nut	6.00
1200	9/16	Castle nut - unplated -	6.00
1176	9/16	Castle nut - cad plated	6.50
0926	9/16	Castle nut - HT - zinc plated	6.00
0824	9/16	Locknut - HT	6.00
1202	9/16	Nut - nylock	6.00
	<b>5/8" BSF</b>		
1217	5/8 x 1	Setscrew	3.00
1376	5/8 x 1	Socket screw - csk - Allen drive	4.20
1216	5/8 x 1 1/4	Setscrew	3.00

1218	5/8 x 1 1/2	Setscrew	4.00
0271	5/8 x 1 1/2	Capscrew – socket head	7.00
0131	5/8 x 1 3/4	Bolt – TL 1 1/4"	4.00
1219	5/8 x 1 3/4	Bolt – TL 1 3/8"	4.00
1415	5/8 x 1 3/4	Bolt – TL 1 1/4" – Brass	5.00
1745	5/8 x 1 7/8	Bolt – TL 1" – zinplated	5.00
1220	5/8 x 2	Bolt – TL 1 1/4	4.00
0129	5/8 x 2	Bolt and nut	5.00
1215	5/8 x 2	Setscrew	5.00
0085	5/8 x 2 1/4	Bolt – TL 1"	4.60
0698	5/8 x 2 1/4	Bolt – HT	5.00
0057	5/8 x 2 3/8	Bolt – TL 1 1/4"	5.00
0102	5/8 x 2 1/2	Bolt – TL 1 1/4" – unplated	5.00
1659	5/8 x 2 1/2	Bolt – HT – TL 7/8" – zinc-chromate	8.00
0242	5/8 x 2 3/4	Bolt – zinc plated – TL 1 1/4	5.40
1222	5/8 x 2 3/4"	Bolt – Grade R – TL 1 1/4"	6.00
0030	5/8 x 3	Bolt – TL 1 1/4" – mild	5.80
1214	5/8 x 3	Setscrew – mild – unpl	6.00
0078	5/8 x 3 3/8	Bolt – TL 1 1/4"	6.40
0074	5/8 x 3 3/4	Bolt – TL 1 1/4"	7.00
0152	5/8 x 4	Bolt – TL 1 1/2"	5.00
0714	5/8 x 4	Bolt – HT – TL 1 1/4"	6.00
0086	5/8 x 4 1/8	Bolt – TL 1 1/4"	7.60
0151	5/8 x 4 1/2	Bolt – TL 1 1/4"	8.30
1221	5/8 x 6	Bolt – TL 1 1/4"	9.00
	<b>5/8" NUTS</b>		
0044	5/8	Nut – hex – 15/16 across flats = reduced	2.00
0043	5/8	Nut – hex – 1" across flats – unplated	3.00
1223	5/8	Nut – hex – 1" across flats – zinc plated	3.00
0032	5/8	Nut – HT – plain hex	5.00
1116	5/8	Slotted nut – HT – zinc plated	5.00
1590	5/8	Slotted nut – mild – zinc plated	5.00
0016	5/8	Castle nut – zinc plated	7.50
1208	5/8	Castle nut – unplated	6.00
0833	5/8	Locknut	4.00
0175	5/8	Locknut – left hand thread	3.50
1166	5/8	Nut – nylock – zinc plated	6.00
1564	5/8	Nut – Nylock – HT – stainless	6.00
0681	5/8	Nut – split thread lock ("Aerotight")	6.50
	<b>11/16" BSF</b>		
0130	11/16	Nut – slotted – HT – cad plated	8.00
1517	11/16	Nut – plain – cad plated	8.00
	<b>3/4" BSF</b>		
1213	3/4 x 1 1/2	Setscrew – unplated	8.00
0656	3/4 x 2	Bolt – TL 1" – unplated	9.00
0022	3/4 x 2	Setscrew	9.00
1551	3/4 x 2	Socket head capscrew – Unbrako – fully threaded – black	9.00
0847	3/4 x 4	Bolt – TL 1 1/4" – black	10.00
1586	3/4 x 4 1/4	Bolt – TL 1 1/4 – HT – zinc-chromate	12.00
1212	3/4 x 4 1/2	Bolt – TL 1 1/2" – mild	10.00
	<b>3/4" NUTS</b>		
0119	3/4	Nut – plain hex	9.00
0019	3/4	Nut – slotted – zinc plated or black	8.00
0079	3/4	Locknut	6.00
1353	3/4	Nut – nylock – zinc-chromate	8.00

1385	3/4	Nut - brass	8.00
1565	3/4	Nut - HT - zinc-chromate	9.00
1580	3/4	Nut - castle - unplated	8.00
1581	3/4	Nut - castle - zinc plated	9.00
	<b>13/16" BSF</b>		
1518	13/16	Nut - castle - cad plated	12.00
	<b>7/8" BSF</b>		
0923	7/8 x 3	Bolt - HT	18.00
1945	7/8 X 3	Setscrew - zincplated	18.00
1946	7/8 x 3	Setscrew - unplated	15.00
1947	7/8 x 4	Setscrew - zincplated	22.00
1944	7/8 x 5	Bolt - HT - TL 1 1/2" - zincchromate	25.00
1882	7/8 x 6	Bolt - TL 2"	25.00
0706	7/8 x 7"	Bolt - TL 1 3/4"	28.00
	<b>7/8" NUTS</b>		
1206	7/8	Nut - plain hex - unplated	7.00
0961	7/8	Nut - slotted - zinc plated	7.00
0036	7/8	Locknut - 1/2" deep- cad plated	6.00
1381	7/8	Nut - brass	7.00
1207	7/8	Nut - nylock	8.00
1210	7/8	Nut - Nylock - Wheelnut - RHT	9.00
1209	7/8	Nut - Nylock - Wheelnut - LHT	9.00
0440	7/8	Nut - split thread lock ('Aerotight') - cad plated	9.00
	<b>1" BSF</b>		
1211	1 x 2	Setscrew - black - GKN - Grade R	12.00
0846	1 x 3	Bolt - TL 2"	14.00
1337	1 x 4	Setscrew - mild - zinc plated	16.00
	<b>1" NUTS</b>		
0021	1	Nut - hex - unplated	10.00
0023	1	Locknut - hex - unplated	8.00
1287	1	Locknut - hex - zinc plated	8.00
	<b>1 1/8" BSF</b>		
1244	1 1/8	Nut - plain hex - stainless	15.00
0716	1 1/8	Nut - slotted - deep	15.00
	<b>1 1/4" BSF</b>		
1238	1 1/4	Nut - plain hex	20.00

## B.A. (British Association) (Pitch angle 47.5 degrees)

Code	B.A. number	Length	Item	Price
	<b>0 BA</b>			
0278	0	3/8	Screw - csk	0.50
0180	0	3/8	Screw - roundhead - steel	0.50
1453	0	3/8	Screw - roundhead - brass	1.00
0277	0	3/8	Screw - cheesehead	0.50
0701	0	1/2	Screw - csk - cad plated	0.50
0702	0	1/2	Screw - roundhead - steel	0.50
1462	0	1/2	Screw - roundhead - brass	1.00
1102	0	1/2	Screw roundhead slotted - selfthread	0.50
0688	0	5/8	Screw - roundhead	0.50
0651	0	5/8	Screw - cheesehead	0.50
1100	0	3/4	Screw - csk - slotted - zinc plated	0.50
0720	0	3/4	Screw - roundhead - steel	0.50
1452	0	3/4	Screw - roundhead - brass	1.00
1037	0	3/4	Screw - cheesehead - zinc-chromate plated	1.50
0821	0	7/8	Screw - csk - slotted - zinc plated	0.50
0653	0	1	Screw - csk - slotted- cad plated	0.50
1099	0	1	Screw - csk - slotted - brass	1.50
1098	0	1	Screw - csk - Phillips - zinc plated	0.50
0035	0	1	Screw - roundhead - slotted - cad pl	0.50
0710	0	1	Screw - cheesehead - cad plated	0.60
1512	0	1	Screw - cheesehead - unplated	1.00
1101	0	1	Screw - cheesehead - brass	1.50
0279	0	1 1/4	Screw - roundhead - steel	1.50
1461	0	1 1/4	Screw - roundhead - brass	2.50
0369	0	1 1/4	Screw - cheesehead	1.50
1915	0	1 3/8	Screw - cheesehead	1.50
0643	0	1 1/2	Screw - roundhead - cad plated	1.50
0644	0	1 1/2	Screw - roundhead - black	1.50
1912	0	1 1/2	Bolt - fully threaded	2.00
1723	0	1 3/4	Screw - csk - slot - cad plated	1.50
1519	0	1 3/4	Capscrew - black - TL 1 1/4	1.50
1521	0	2	Capscrew - black - TL 1"	2.00
1455	0	3	Screw - csk - brass	2.00
1456	0	3	Screw - roundhead - brass	2.00
	<b>0 BA NUTS</b>			
0280	0	-	Nut - plain hex	0.60
0490	0	-	Nut - brass	1.00
0491	0	-	Nut - brass - nickel plated	1.00
1478	0		Nut - stainless	1.50
1520	0		Nut - nylock	1.40
	<b>1 BA</b>			
1476	1	3/4	Screw - csk - slot - stainless	1.00
0370	1	1	Screw - csk	0.50
1474	1	1	Screw - cheesehead - slotted - brass	0.60
0774	1	1 1/2	Screw - cheesehead - cad plated	1.00
	<b>1 BA NUTS</b>			
0281	1	-	Nut - plain hex	0.50
0771	1	--	Nut - lock	0.30
1475	1		Nut - brass	1.00

1477	1		Nut - stainless	1.00
	<b>2 BA</b>			
1263	2	1/8	Screw - cheesehead - large head	0.50
0282	2	1/4	Screw - cheesehead - zinc plated	0.50
0372	2	1/4	Screw - cheesehead - brass	0.50
1469	2	1/4	Screw - csk - zinc plated	0.50
0283	2	5/16	Screw - cheesehead - zinc plated	0.50
0649	2	3/8	Screw - csk - slotted - zincpltd	0.50
1127	2	3/8	Screw - csk - slotted - nickel plated	0.50
0377	2	3/8	Screw - csk - Phillips	0.30
1344	2	3/8	Screw - csk - socket head	1.50
0284	2	3/8	Screw - csk - raised head	0.60
0375	2	3/8	Screw - roundhead - zinc plated - Slotted	0.50
1460	2	3/8	Screw - roundhead - brass	1.00
0629	2	3/8	Screw - cheesehead - cad plated	0.50
0660	2	3/8	Screw - cheesehead - nickel plated	0.50
1325	2	3/8	Screw - cheesehead - slotted - brass - unplated	1.00
0371	2	1/2	Screw - csk - unplated	0.50
0703	2	1/2	Screw - csk - zinc plated	0.50
0286	2	1/2	Screw - csk - brass - slotted	1.00
0287	2	1/2	Screw - csk - brass - Phillips	0.60
1345	2	1/2	Screw - csk - socket head	1.00
2000	2	1/2	Screw - csk - slot - stainless	2.00
1039	2	1/2	Screw - raised csk - slotted - zinc plated	0.60
1764	2	1/2	Screw - raised csk - slotted - stainless	2.50
1118	2	1/2	Screw - raised csk - Phillips	0.50
1358	2	1/2	Screw - panhead - zinc plated	0.50
1339	2	1/2	Screw - roundhead - slot - zinc	0.50
1420	2	1/2	Screw - roundhead w dimple	1.00
1106	2	1/2	Screw - mushroom head - Phillips	0.50
0089	2	1/2	Screw - cheesehead	0.50
1330	2	1/2	Screw - cheesehead - brass	1.00
1585	2	1/2	Screw - cheesehead - stainless	1.00
1298	2	1/2	Grubscrew - slotted - zinc-chromate plated	1.00
1414	2	1/2	Setscrew - Grade R - zinc plt	2.00
1729	2	9/16	Screw - csk - slotted - zinc plated	0.50
0373	2	5/8	Screw - csk - slotted - unplated	0.50
1943	2	5/8	Screw - csk - slotted - cad plt	0.70
0289	2	5/8	Screw - csk - brass	0.60
1034	2	5/8	Screw - raised csk - stainless steel - slotted	1.00
0288	2	5/8	Screw - cheesehead	0.50
1110	2	5/8	Screw - panhead - Phillips cad plated	0.50
0832	2	3/4	Bolt - TL 3/8" - cad plated	0.50
1547	2	3/4	Setscrew - stainless	3.50
0290	2	3/4	Screw - csk - brass	0.60
1126	2	3/4	Screw - raised csk - slotted - steel - nickelplated	1.00
1765	2	3/4	Screw - raised csk - slotted - stainless	2.50
1121	2	3/4	Screw - raised csk - slotted - nickel plated - selfthreading	0.50
1125	2	3/4	Screw - raised csk - Phillips - nickelplated	1.00
1340	2	3/4	Screw - roundhead - slot - zinc	1.00
1332	2	3/4	Screw - cheesehead - slotted - zinc plated	1.00
1326	2	3/4	Screw - cheesehead - slotted - brass	2.00
1404	2	3/4	Screw - panhead - slotted - unplated	0.30
0661	2	7/8	Screw - csk - slotted - zinc plated	1.00
1119	2	7/8	Screw - raised csk - Phillips - nickel plated	1.00
0376	2	7/8	Screw - roundhead	0.50





1300	2	---	Nut – Rawlnut – rubber sleeve	0.60
0300	2	---	Nuts – mixed	0.30
1479	2		Nuts – square - zinc	0.50
1553	2		Nut – nylock - zinc	0.60
1673	2		Nut - stainless	1.00
1789	2		Nut – dome - brass	3.00
1790	2		Nut – dome – steel - zinc plated	3.00
1798	2		Nut - Aerotight	3.00
	<b>3 BA</b>			
0378	3	¼	Screw – cheesehead – brass	0.60
0301	3	5/16	Screw – csk	0.60
1059	3	3/8	Screw – csk – slotted – brass	1.00
1065	3	3/8	Capscrew – black	1.00
0494	3	½	Screw – csk –slotted - brass	1.00
1306	3	½	Screw – cheesehead - slotted	0.60
1697	3	½	Screw – roundhead –slot-brass	1.00
0495	3	¾	Screw – csk – brass	0.60
0379	3	¾	Screw – roundhead – brass	0.60
1203	3	¾	Screw – ch-h – brass - slotted	2.00
1626	3	¾	Screw – ch-h – steel - slotted	1.00
1261	3	1	Capscrew – TL 5/8”	2.00
0302	3	1	Screw – csk – slotted - black	1.00
1480	3	1	Screw – csk - brass	1.00
1603	3	1	Screw – cheesehead – zinc plated	1.00
1481	3	1	Screw – cheesehead - brass	1.00
1693	3	1	Screw – roundhead - brass	1.00
1323	3	1 ¼	Screw – cheesehead – slotted – brass - unplated	2.00
0690	3	1 ½	Screw – csk – slotted - brass - unplated	1.00
1324	3	1 ½	Screw – csk – slotted – brass – nickel plated	1.00
0380	3	1 ½	Screw– roundhead – slot -black	1.00
0604	3	1 ½	Screw – ch-h brass slotted nickel plated	1.00
0458	3	2	Screw – csk	1.00
1694	3	2	Screw – csk - brass	1.00
1698	3	2	Screw – cheesehead – brass - slot	1.00
	<b>3 BA NUTS</b>			
0303	3	---	Nut – plain hex	0.60
1173	3	---	Nut – brass	0.50
0304	3	---	Nut – lock	0.50
	<b>4 BA</b>			
0305	4	1/8	Screw – Preslite head	0.50
1347	4	1/8	Grubscrew – socket drive	1.00
0817	4	¼	Setscrew	0.30
0397	4	¼	Screw – csk – slotted	0.30
0492	4	¼	Screw – csk– brass– nickel plated	0.50
0306	4	¼	Screw – roundhead	0.30
0398	4	¼	Screw – roundhead – brass-nickelpl	0.50
1268	4	¼	Screw – cheesehead	0.50
1260	4	3/8	Screw - cheesehead	0.50
0308	4	5/16	Screw – csk – zinc plated	0.30
0619	4	5/16	Screw – csk – cad plated	0.30
0718	4	5/16	Screw – panhead – slotted	0.30
0676	4	5/16	Screw – roundhead	0.30
0307	4	5/16	Screw – cheesehead - steel	0.30
1417	4	5/16	Screw – cheesehead - brass	0.60
0388	4	3/8	Screw – csk – zinc plated – slotted	0.30
0400	4	3/8	Screw – csk– brass– nickel plated	0.60
0665	4	3/8	Screw - panhead – zinc plated – slotted	0.30
0309	4	3/8	Screw – cheesehead – zinc plated	0.50

0389	4	3/8	Screw – cheesehead – brass – nickel plated	0.50
1265	4	7/16	Bolt	0.50
1262	4	1/2	Setscrew – hex head	0.60
0395	4	1/2	Screw – csk – slotted	0.50
0312	4	1/2	Screw – csk – zinc plated – slotted	0.30
0493	4	1/2	Screw – csk – brass	0.50
0654	4	1/2	Screw – csk – raised head – zinc plated	0.30
0659	4	1/2	Screw – roundhead – cad plated – slotted	0.30
0399	4	1/2	Screw – roundhead- brass-nickel plated	0.60
1700	4	1/2	Screw – roundhead- brass	0.50
0311	4	1/2	Screw – cheesehead – zinc plated	0.60
0310	4	1/2	Screw – cheesehead – brass	0.60
0396	4	1/2	Screw – cheesehead – brass-nickel plated	0.60
0313	4	5/8	Screw – csk	0.30
0393	4	5/8	Screw – roundhead – brass	0.60
1122	4	5/8	Screw – cheesehead – steel – zinc plated	0.50
0392	4	5/8	Screw – cheesehead – brass	0.60
0314	4	3/4	Screw – csk – zinc plated	0.60
0692	4	3/4	Screw – roundhead – steel, cad plated	0.60
0684	4	3/4	Screw – roundhead – brass	1.00
1463	4	3/4	Screw – cheesehead – slotted – steel - unplated	0.50
0315	4	3/4	Screw – cheesehead – slotted – zinc plated	0.50
1329	4	3/4	Screw – cheesehead – slot - brass	0.60
1413	4	3/4	Screw – csk – slotted - brass	1.00
1508	4	3/4	Bolt – hex – steel - unplated	1.50
1266	4	7/8	Screw – ch-h – fully threaded	0.50
0316	4	1	Screw – csk – zinc plated	0.50
0655	4	1	Screw – csk – cad plated	0.50
1482	4	1	Screw – csk - brass	0.60
0918	4	1	Screw – roundhead slotted – cad plated	0.50
1702	4	1	Screw – roundhead - brass	1.00
1465	4	1	Screw – roundhead – slotted - zinc plated	0.50
1464	4	1	Screw – cheesehead – steel - unplated	0.50
0317	4	1	Screw – cheesehead – nickel plated	0.50
0390	4	1	Screw – cheesehead – brass	0.60
1509	4	1	Bolt – hex – steel - unplated	1.40
1998	4	1	Bolt – hex – steel – zinclated with nut	2.00
1269	4	1 1/4	Capscrew – TL 7/8”	1.00
0674	4	1 1/4	Screw – csk – nickel plated	0.50
1396	4	1 1/4	Screw – csk – fully threaded - black	0.60
0709	4	1 1/4	Screw – roundhead – zinc plated	0.50
1529	4	1 1/4	Screw – cheesehead - brass	1.00
0707	4	1 3/8	Screw – csk – brass	0.60
0624	4	1 1/2	Screw – csk	0.50
0318	4	1 1/2	Screw – csk – brass	0.60
0849	4	1 1/2	Screw – roundhead - unplated	0.50
0394	4	1 1/2	Screw – roundhead – brass	0.50
1272	4	1 1/2	Screw – roundhead – brass – deep head	0.50
1123	4	1 1/2	Screw – cheesehead – zinc plated	0.50
1705	4	1 1/2	Screw – cheesehead - brass	1.00
0648	4	1 3/4	Screw – roundhead – cad plated	0.50
0621	4	1 3/4	Screw – roundhead – brass	0.50
1618	4	1 7/8	Screw – raised csk – TL 1/2 ” – cad plated	0.50
0391	4	2	Screw – csk – black	0.50
0668	4	2	Screw – csk – cad plated	0.50
1458	4	2	Screw – csk - brass	1.00
0848	4	2	Screw – roundhead – zinc plated	0.50
1699	4	2	Screw – roundhead - brass	1.00
0719	4	2	Screw – cheesehead – zinc plated	0.50
1701	4	2	Screw – cheesehead - brass	1.00

0618	4	2 ½	Screw – csk	0.50
0723	4	2 ½	Screw – cheesehead	0.50
0708	4	3	Screw – csk – cad plated	0.50
0689	4	3	Screw – cheesehead	0.60
1620	4	12”	4BA Mild Allthread / studding	12.00
			<b>4 BA NUTS</b>	
0319	4	----	Nut – plain hex – zinc plated	0.50
1174	4	---	Nut – brass	0.50
0320	4	----	Nut – brass – nickel plated	0.50
0322	4	---	Nut – lock	0.50
0321	4	---	Rootnut	0.50
			<b>5 BA</b>	
0677	5	1/8	Screw- cheesehead- brass- nickel plated	0.50
0666	5	¼	Screw – panhead – cad plated – slotted	0.50
1267	5	¼	Screw - roundhead	0.50
0323	5	½	Screw – csk - unplated	0.30
1990	5	½	Screw – csk – slot – nickel plt	0.80
1708	5	½	Screw – csk - brass	0.50
1914	5	½	Screw - cheesehead	0.50
0324	5	¾	Screw – cheesehead	0.50
2001	5	¾	Setscrew – steel - unplt	2.00
1483	5	1	Screw – cheesehead - brass	0.60
1704	5	1	Screw – roundhead - brass	0.60
1706	5	1	Screw – csk - brass	1.00
2002	5	1	Setscrew – steel - unplt	2.50
1703	5	1 ½	Screw – roundhead- brass	0.60
1707	5	1 ½	Screw – csk - brass	1.00
0617	5	2	Screw – cheesehead – brass – nickel plated	1.00
			<b>5 BA NUTS</b>	
0512	5	---	Nut – plain hex – steel - zinc plated	0.30
1175	5	---	Nut – brass - unplated	0.50
0325	5	---	Nut – brass – nickel plated	0.50
			<b>6 BA</b>	
0326	6	3/16	Screw – csk	0.30
0658	6	3/16	Screw – roundhead	0.30
1473	6	3/16	Screw – cheesehead - zinc plated	0.50
0327	6	¼	Screw – csk	0.30
0386	6	¼	Screw – roundhead-brass-nickel plated	0.50
0383	6	¼	Screw – cheesehead – brass	0.50
1904	6	¼	Setscrew - brass	1.50
0675	6	3/8	Screw – csk – steel – cad plated	0.30
0680	6	3/8	Screw – csk – steel – nickel plated	0.30
0667	6	3/8	Screw – csk – brass	0.30
0819	6	3/8	Screw – roundhead – zinc plated	0.30
0627	6	3/8	Screw – roundhead – cad plated	0.30
0384	6	3/8	Screw – roundhead – nickel plated	0.30
0387	6	3/8	Screw – cheesehead – brass	0.50
0329	6	½	Screw – csk – zinc plated	0.30
0451	6	½	Screw – roundhead – unplated	0.30
0330	6	½	Screw – roundhead – cad plated	0.30
1331	6	½	Screw – cheesehead – brass	0.60
1471	6	½	Screw – cheesehead – zinc plated	0.60
1688	6	½	Screw – csk – brass – slot	0.60
0331	6	5/8	Screw – csk	0.30

0696	6	5/8	Screw – roundhead – cadplated	0.30
0332	6	5/8	Screw – roundhead – nickelplated	0.30
0333	6	3/4	Screw – csk	0.30
1689	6	3/4	Screw – csk – brass	0.50
0334	6	3/4	Screw – roundhead	0.30
1467	6	3/4	Screw – cheesehead – steel unplated	0.50
0815	6	3/4	Screw – cheesehead - zinpt	0.50
1328	6	3/4	Screw – cheesehead – brass	0.60
0657	6	7/8	Screw – csk – zinc plated	0.30
0626	6	7/8	Screw – roundhead – zinc plated	0.30
0679	6	1	Screw – csk – unplated	0.30
0336	6	1	Screw – csk – zinc plated	0.30
0732	6	1	Screw – csk – brass	0.50
0337	6	1	Screw – panhead	0.30
0726	6	1	Screw – roundhead – steel	0.30
0722	6	1	Screw – roundhead – brass	0.50
0620	6	1	Screw – roundhead – brass- nickel plated	0.30
0335	6	1	Screw – cheesehead – brass	0.50
0338	6	1	Screw – cheesehead	0.30
0622	6	1 ½	Screw – csk	0.30
0339	6	1 ½	Screw – csk – zinc plated	0.30
0625	6	1 ½	Screw – csk – cad plated	0.30
0340	6	1 ½	Screw – cheesehead – zinc plated	0.30
1691	6	1 ½	Screw – cheesehead – brass	0.50
1690	6	1 ½	Screw – roundhead – brass -	0.50
1692	6	1 ½	Screw – csk – brass	0.50
1928	6	2	Screw – csk – brass	1.00
0724	6	2 ½	Screw – cheesehead	0.30
1454	6	2 ½	Screw – csk – slotted – brass	1.00
0682	6	3	Screw – roundhead – brass	0.50
	<b>6 BA NUTS</b>			
0341	6	---	Nut - plain hex	0.30
0342	6	---	Nut – brass - unplated	0.30
0385	6	---	Nut – brass – nickel plated	0.30
	<b>7 BA</b>			
0344	7	3/16	Screw – csk – brass	0.50
0343	7	3/16	Screw – csk – brass- nickel plated	0.50
0328	7	5/16	Screw – csk - black	0.50
1067	7	3/8	Screw – cheesehead slotted brass	0.50
1987	7	½	Screw – cheesehead - steel	0.60
1486	7	½	Screw – cheesehead - brass	0.60
1711	7	½	Screw – roundhead - brass	0.60
1485	7	¾	Screw – csk – brass – nickel plated	0.60
1068	7	1	Screw – cheesehead slotted brass	0.60
1709	7	1	Screw – roundhead - brass	1.00
1710	7	1	Screw – csk - brass	1.00
2004	7	2	Screw – roundhead – slot – nickel plated	1.50
	<b>7 BA NUTS</b>			
0488	7	---	Nut – brass - unplated	0.60
1484	7		Nut – brass - zinc plated	1.00
	<b>8 BA</b>			
0382	8	¼	Screw – roundhead	0.30
0345	8	3/8	Screw – csk	0.30
0346	8	3/8	Screw – roundhead - steel	0.30
1459	8	3/8	Screw – roundhead - brass	0.60
0347	8	½	Screw – cheesehead – steel zinc plated	0.30

1714	8	1/2	Screw – roundhead - brass	0.50
1487	8	1/2	Screw – cheesehead - brass	0.60
0381	8	1/2	Screw – cheesehead – brass	0.60
0348	8	5/8	Screw – csk	0.30
0349	8	5/8	Screw – cheesehead	0.30
1488	8	3/4	Screw – csk – brass – nickel plated	0.60
1717	8	3/4	Screw – csk - brass	1.00
0350	8	1	Screw – cheesehead – brass	1.00
1712	8	1	Screw – roundhead - brass	1.00
1713	8	1	Screw – csk - brass	1.00
1342	8	1 1/4	Screw – cheesehead – brass	1.50
	<b>8 BA NUTS</b>			
0487	8	---	Nut – brass	0.50
	<b>9 BA</b>			
1715	9	3/4	Screw – roundhead - brass	1.00
1489	9	1	Screw – roundhead - brass	1.00
1491	9	1	Screw – cheesehead - steel	1.00
1716	9	1	Screw – cheesehead - brass	1.30
	<b>9BA NUTS</b>			
1490	9		Nuts - steel	0.60
	<b>10 BA</b>			
1327	10	1	Screw – cheesehead - brass	1.50
1492	10	1	Screw – cheesehead - steel	1.00
	<b>10BA NUTS</b>			
1064	10	--	Nut – brass	1.00
	<b>11 BA</b>			
1493	11	3/4	Screw – roundhead – brass nickel plated	1.00
	<b>11BA NUTS</b>			
1351	11		Nut - brass	1.00
	<b>12 BA</b>			
1343	12	1	Screw – roundhead - brass	1.00
	<b>12BA NUTS</b>			
1352	12		Nut – brass -	1.00

## **B.S.W. (British Standard Whitworth) (Pitch angle 55 degrees)**

<b>Code</b>	<b>Diameter &amp; length</b>	<b>Item</b>	<b>Price</b>
	<b>1/8" WHIT</b>		
1969	1/8 x 1/4	Screw – roundhead – slot -	0.50
1418	1/8 x 1/2	Screw – roundhead – brass - slot	1.00
1844	1/8 x 1/2	Screw – roundhead – slot - unplated	0.30
1851	1/8 x 1/2	Screw – csk – slot - unplated	0.30
1676	1/8 x 5/8	Screw – csk – slot - stainless	0.50
1663	1/8 x 3/4	Screw – csk – slot – steel - unplated	0.30
1852	1/8 x 3/4	Screw – roundhead – slot - unplated	0.30
1684	1/8 x 3/4	Screw – steel – roundhead - slotted	0.50
1845	1/8 x 1	Screw – csk – slot - unplated	0.50
1664	1/8 x 1	Screw – csk- slot -stainless	0.30
1846	1/8 x 1	Screw – roundhead – slot - unplated	0.50
1770	1/8 x 1 1/4	Screw – roundhead- slot - steel	0.30
1152	1/8 x 1 1/2	Screw- roundhead – slotted - zinc plated	0.30
1843	1/8 x 1 1/2	Screw – roundhead – slot - unplated	0.30

0504	1/8 x 1 3/4	Screw – roundhead - brass	0.50
1771	1/8 x 1 3/4	Screw – roundhead- slot - steel	0.30
1149	1/8 x 2	Screw – csk - unplated	0.30
1847	1/8 x 2	Screw – csk - zinc plated	0.50
1153	1/8 x 2	Screw – roundhead – slotted	0.30
0505	1/8 x 2	Screw – cheesehead – brass	0.50
0506	1/8 x 2 1/2	Screw – csk – brass	0.50
0507	1/8 x 3	Screw – csk – brass	0.50
	<b>1/8" W NUTS</b>		
1685	1/8	Nut – steel - zinc plated	0.30
1604	1/8	Nut - brass	0.30
1674	1/8	Nut - stainless	0.30
	<b>5/32" WHIT</b>		
1666	5/32 x 1/4	Screw – roundhead-stainless-slotted	0.50
0786	5/32 x 5/8	Screw – raised csk – slotted – nickel plated	0.50
1863	5/32 x 1/2	Screw – csk – slot - unplated	0.50
1859	5/32 x 3/4	Screw – roundhead – steel – slot - unpt	0.50
1849	5/32 x 1	Screw – csk – slot - unplated	0.50
1850	5/32 x 1	Screw – roundhead – slot - unplated	0.50
1128	5/32 x 1 1/4	Screw – roundhead – brass	0.50
1148	5/32 x 1 1/2	Screw – csk – unplated	0.50
1853	5/32 x 1 1/2	Screw – csk – slot - zinc plated	0.50
1854	5/32 x 1 1/2	Screw – roundhead – slot - zinc plated	0.50
1146	5/32 x 2	Screw – csk	0.50
1145	5/32 x 2	Screw – roundhead – zinc plated	0.50
1848	5/32 x 2	Screw – roundhead – slot - unplated	0.60
1856	5/32 x 2	Screw – roundhead – brass - slot	1.00
	<b>5/32" W NUTS</b>		
1857	5/32	Nut – steel – zinc plated	0.50
1858	5/32	Nut - locknut – steel - zinc plated	0.50
0501	5/32	Nut - brass	0.50
1629	5/32	Nut – dome –steel - chrome	0.50
1795	5/32	Nut – nylock - zinc plated	0.50
1855	5/32	Wingnut – zinc plated	0.50
1896	5/32	Nut - stainless	0.50
	<b>3/16" WHIT</b>		
1806	3/16 x 3/8	Screw – csk - slotted	0.50
1805	3/16 x 3/8	Screw – raised csk – stainless - slotted	0.60
1900	3/16 X 3/8	Screw – csk – Phillips - stainless	0.50
1681	3/16 x 1/2	Screw – mush-h – slot – zinc plated	0.30
1808	3/16 x 1/2	Screw – csk - slotted	0.50
1952	3/16 x 1/2	Screw – csk – slot - stainless	0.50
1810	3/16 x 1/2	Screw – roundhead - slotted	0.50
0354	3/16 x 5/8	Screw – cheesehead – fully threaded	0.30
1451	3/16 x 5/8	Screw – csk – brass - slotted	0.50
1967	3/16 x 5/8	Bolt – fully threaded - stainless	1.00
1528	3/16 x 3/4	Screw – csk – slotted – unplated	0.30
1804	3/16 X 3/4	Screw – mushroom head – slot – zinc	0.50
1807	3/16 x 1	Screw – mushroom head – slot – zinc	0.50
1156	3/16 x 7/8	Screw – slotted – raised csk – cad plated	0.30
0823	3/16 x 1	Screw – csk – slotted – zinc plated	0.30
1809	3/16 x 1	Screw – roundhead – brass - slotted	1.00

1831	3/16 x 1	Screw – roundhead – steel – slot - unpl	0.50
1832	3/16 x 1	Screw – csk – slot - unplated	0.50
1147	3/16 x 1 ¼	Screw – csk	0.50
1138	3/16 x 1 ½	Screw – csk – slot - zinc plated	0.50
1812	3/16 x 1 ½	Screw – csk – slot - unplated	0.50
1144	3/16 x 1 ½	Screw – roundhead – zinc plated	0.50
1784	3/16 x 1 ½	Screw – roundhead – brass - slotted	0.60
1811	3/16 x 1 ½	Screw – roundhead – slot - unplated	0.50
1813	3/16 x 1 ½	Screw – mush-head – slot – zinc plated	0.50
1815	3/16 x 1 ½	Screw – roundhead – Phillips - zinc plated	0.50
1109	3/16 x 1 ¾	Screw – roundhead – slotted	0.30
0671	3/16 x 2	Bolt	0.50
1139	3/16 x 2	Screw – csk – zinc plated	0.30
1107	3/16 x 2	Screw – roundhead – slotted - unplated	0.30
1140	3/16 x 2	Screw – roundhead – slotted – zinc plated	0.30
1816	3/16 x 2	Screw – roundhead – Phillips – zinc plated	0.50
1814	3/16 x 2	Screw – csk – Phillips – zinc plated	0.50
1819	3/16 x 2	Screw – mushhead – slot - zinc plated	0.50
1820	3/16 x 2	Screw – csk – slot - unplated	0.50
1108	3/16 x 2 ½	Screw – csk – slotted	0.30
1141	3/16 x 2 ½	Screw – roundhead – zinc plated	0.30
1821	3/16 x 2 ½	Screw – mush-head – slot - zinc plated	0.50
1142	3/16 x 3	Screw – csk – zinc plated	0.30
1817	3/16 x 3	Screw – roundhead – slot - unplated	0.50
1818	3/16 x 3	Screw – mush-head – slot - zinc plated	0.50
	<b>3/16" W NUTS</b>		
1682	3/16	Nut – locknut - zinc plated	0.30
1780	3/16	Nut – plain hex - zinc plated	0.50
1250	3/16	Nut – brass - unplated	0.50
1181	3/16	Nut – brass	0.50
1247	3/16	Nut – dome - chrome	0.70
1683	3/16	Nut – wingnut – steel -	1.00
1897	3/16	Nut - stainless	0.50
	<b>¼" WHIT</b>		
0907	¼ x 3/8	Setscrew – cad plated	0.30
0924	¼ x 3/8	Screw – csk - slotted – stainless	1.00
1239	¼ x 3/8	Screw - cheesehead	1.00
1510	¼ x 3/8	Grubscrew – Allen socket head	0.50
0908	¼ x ½	Setscrew – cad plated	0.30
1137	¼ x ½	Screw – roundhead - unplated	0.30
0812	¼ x ½	Screw – roundhead – with nut – stainless	1.00
1341	¼ x ½	Screw – mush – slotted - zinc plated	0.30
1632	¼ x ½	Screw – mush – slotted - unplated	0.30
1606	¼ x ½	Screw – raised csk – slotted – head 11.4 mm	0.50
1607	¼ x ½	Screw – raised csk – slotted – head 12.6 mm	0.60
2005	¼ X 5/8	Screw – mush – slotted - zinc plated	0.60
0956	¼ x ¾	Bolt	0.50
0906	¼ x ¾	Setscrew – cad plated	0.50
1245	¼ x ¾	Screw – csk – slotted - unplated	0.50
1136	¼ x ¾	Screw – roundhead – steel - unplated	0.30
1423	¼ x ¾	Screw – mush – slotted - zinc plated	0.50
1835	¼ x ¾	Screw – mush-head – Phillips - zinc	0.50
0529	¼ x 7/8	Screw – domed cheesehead – nickel plated	1.50
0903	¼ x 1	Bolt and nut	0.50
0729	¼ x 1	Setscrew	0.50
0694	¼ x 1	Setscrew – unplated	0.50
0905	¼ x 1	Setscrew - cad plated	0.50

0854	¼ x 1	Screw – csk – slotted – zinc plated	0.30
1824	¼ x 1	Screw – csk – slot - unplated	0.50
0355	¼ x 1	Screw – csk – raised head – mild steel	0.30
0782	¼ x 1	Screw – csk – raised head – stainless	0.60
1135	¼ x 1	Screw – roundhead – zinc plated	0.30
1822	¼ x 1	Screw – roundhead – slot - unplated	0.50
1523	¼ x 1	Screw – roundhead - brass slotted	1.00
1424	¼ x 1	Screw – mush – slotted - zinc plated	0.50
1833	¼ x 1	Screw – mush-head – Phillips – zinc plated	0.50
1834	¼ x 1	Screw – roundhead – Phillips - zinc plated	0.50
0448	¼ x 1 3/16	Stud	0.50
0904	¼ x 1 ¼	Bolt and nut	0.30
0909	¼ x 1 ½	Bolt and nut	0.30
1132	¼ x 1 ½	Screw – csk –slotted - zinc plated	0.30
1425	¼ x 1 ½	Screw – mush – slotted - zinc plated	0.50
1823	¼ x 1 ½	Screw – roundhead – slot - unplated	0.50
1825	¼ x 1 ½	Screw – roundhead – slot - zinc plated	0.50
0911	¼ x 2	Bolt and nut – TL 5/8"	0.30
1130	¼ x 2	Screw – csk – slotted – nickel plated	0.30
1134	¼ x 2	Screw – roundhead – zinc plated	0.50
1426	¼ x 2	Screw – mush – slotted - zinc plated	0.60
1827	¼ x 2	Screw – csk – slotted - unplated	0.60
1828	¼ x 2	Screw – roundhead – slot - brass	1.50
0912	¼ x 2 ½	Bolt and nut – TL 5/8"	0.30
0449	¼ x 2 ½	Stud	0.60
1133	¼ x 2 ½	Screw – roundhead	0.50
1427	¼ x 2 ½	Screw – mush – slotted - zinc plated	1.00
1129	¼ x 3	Screw – csk – slotted	0.50
1131	¼ x 3	Screw – csk – slotted – nickel plated	0.50
1829	¼ x 3	Screw – csk – slot - zinc plated	0.50
1158	¼ x 3	Screw – roundhead – slotted	0.50
1573	¼ x 3	Screw – mush – slotted - zinc plated	1.00
1829	¼ x 3	Screw – csk – slot -	
	<b>¼" WHIT NUTS</b>		
1830	¼	Nut – hex - zinc plated	0.30
0910	¼	Nut – cad plated – 11.2 mm head	0.30
1248	¼	Nut – dome – chrome	1.00
1593	¼	Nut – dome - stainless	1.00
1522	¼	Nut - brass	0.50
1672	¼	Nut – square - zinc plated	0.30
1775	¼	Nut – hex - stainless	0.50
	<b>5/16" WHIT</b>		
0357	5/16 X 5/16	Screw – Roundhead - zinc plated	0.30
0484	5/16 x ½	Bolt – zinc plated and nut	0.30
0555	5/16 x ½	Capscrew – socket head	0.50
1631	5/16 x 9/16	Screw – slotted mush head - zinc plated	0.50
0554	5/16 x 5/8	Capscrew – socket head	0.50
1168	5/16 x 5/8	Screw – csk – slotted – stainless	1.00
1546	5/16 x 5/8	Screw – csk – slotted - zinc plated	0.50
1081	5/16 x ¾	Screw – raised csk – slotted – chromed	1.50
1769	5/16 X ¾	Screw – csk – slotted – zinc - seconds	0.50
1167	5/16 x 7/8	Screw – roundhead – slotted – stainless	0.50
0816	5/16 x 7/8	Screw – cheesehead	0.30



1380	5/16 x 1	Screw – csk – slotted - brass	1.00
1513	5/16 X 1	Screw – cheesehead – slotted - unplated	1.00
0553	5/16 x 1 ¼	Capscrew – socket head	0.60
0563	5/16 x 1 ¼	Coachbolt - black	0.60
1246	5/16 x 1 ¼	Screw - csk - slotted – fully threaded	0.50
0424	5/16 x 1 ½	Bolt – TL 5/8” - unplated	0.50
0425	5/16 x 1 ¾	Bolt – TL ¾” - unplated	0.50
0573	5/16 x 2	Bolt – TL ¾” – and nut	0.50
0556	5/16 x 2 ¾	Capscrew – socket head	2.00
0800	5/16 x 3	Bolt – TL 1” – and nut	0.60
0356	5/16 x 3 ¼	Capscrew – socket head	2.50
0858	5/16	Allthread	0.30 p inch
	<b>5/16” W NUTS</b>		
0415	5/16	Nut – plain hex – 13 mm head	0.30
1860	5/16	Nut – plain hex - unplated	0.30
0498	5/16	Nut – dome / acorn – brass – nickel plated	2.00
1249	5/16	Nut – dome - chrome	2.00
0502	5/16	Nut – nylock	0.60
0929	5/16	Nut – split thread lock (Aerotight)	0.50
0932	5/16	Wingnut – unplated	0.50
0933	5/16	Wingnut – zinc plated	0.50
1898	5/16	Nut - stainless	0.60
	<b>3/8” WHIT</b>		
0991	3/8 x ½	Screw – csk slotted – black	0.50
0645	3/8 x ¾	Screw – csk – slotted	0.30
0571	3/8 x 1	Setscrew – cad plated	0.50
1836	3/8 x 1	Setscrew - unplated	0.60
1097	3/8 x 1 ¼	Bolt – TL ¾ ”	0.50
0421	3/8 x 1 ½	Bolt	0.50
0587	3/8 x 1 ¾	Capscrew – socket head, HT, TL 1 1/8	0.50
0576	3/8 x 2	Bolt – TL 7/8”	0.50
0574	3/8 x 2	Bolt –TL 1” – zinc plated	0.50
0575	3/8 x 2	Bolt –TL1 ½ ” – zinc plated	0.50
1649	3/8 x 2	Screw - roundhead unplated - seconds	0.50
0508	3/8 x 3	Bolt – drilled – cad plated – TL ½”	0.50
1838	3/8 x 3 ½	Bolt - TL ¾ ” - ¼” deep head- unplated	0.60
1840	3/8 x 3 ½	Bolt – TL 1” – 5/16 deep head - unplated	0.60
1837	3/8 x 4	Bolt – TL 1” - unplated	2.00
0557	3/8 x 4	Capscrew – socket head	2.80
0435	3/8 x 7	Bolt	2.00
	<b>3/8” W NUTS</b>		
0358	3/8	Nut – plain hex – 15 mm A/F	0.50
1839	3/8	Nut – plain hex – 18 mm A/F	0.60
0499	3/8	Nut – dome / acorn – brass – nickel plated – 14.7 mm deep	3.00
1627	3/8	Nut – dome / acorn – brass – chrome plated – 13.4 mm deep	3.00
0503	3/8	Nut – nylock	1.00
1506	3/8	Wingnut - zinc plated	1.00
1899	3/8	Nut - stainless	1.00
	<b>7/16” WHIT</b>		
1785	7/16 x 1	Setscrew	1.00
0584	7/16 x 1 ½	Bolt – HT	1.00
0530	7/16 x 1 ¾	Screw – cheesehead	0.50
0949	7/16 x 2	Bolt – TL 1” - unplated	0.60

0946	7/16 x 2	Bolt - TL 1 1/4" - zinc plated	1.00
1862	7/16 x 2 1/4	Bolt - TL 1" - unplated	1.00
1842	7/16 x 2 1/2	Bolt - TL 1" - unplated	1.00
0895	7/16 x 3	Bolt - TL 1" - 18 mm head	1.50
0794	7/16 x 4	Bolt - TL 1" - 18 mm head	2.00
	<b>7/16" W NUTS</b>		
0860	7/16	Nut - plain hex - 18 mm head	0.30
0469	7/16	Nut - dome / acorn - brass - nickel plated	3.50
	<b>1/2" WHIT</b>		
0913	1/2 x 3/4	Setscrew	0.50
0558	1/2 x 7/8	Capscrew - socket head	1.00
0914	1/2 x 1	Setscrew	0.50
0915	1/2 x 1 1/4	Bolt and nut	0.50
0566	1/2 x 1 1/2	Bolt - TL 1" - and nut - unplated	1.50
0683	1/2 x 1 1/2	Screw - csk - socket head - stainless - with nuts (extra nuts)	1.00
0916	1/2 x 1 3/4	Setscrew	1.00
1864	1/2 x 1 3/4	Bolt - with nut - unplated	1.00
0730	1/2 x 2	Setscrew - unplated	1.00
1888	1/2 X 2	Setscrew - square head	1.00
1865	1/2 x 2	Bolt- TL 1 1/4" - galv	1.00
1866	1/2 x 2	Bolt - TL 1" - unplated	1.00
0957	1/2 x 2 1/2	Bolt - T/L/ 1 1/4" - and nut	0.50
0646	1/2 x 2 1/2	Setscrew - unplated	0.50
1623	1/2 X 2	Screw - roundhead- slotted - brass	2.00
0917	1/2 x 3	Bolt and nut - TL 1"	0.60
1867	1/2 x 3	Bolt - TL 1 1/2 - stainless	4.00
0943	1/2 x 3 1/2	Bolt - TL 1" - with nut - unplated	0.60
0669	1/2 x 3 1/2	Bolt & nut - zinc plated	1.00
0850	1/2 x 4	Bolt and nut	1.00
1861	1/2 x 5 1/2	Bolt - TL 1" - galv	2.00
	<b>1/2" WHIT NUTS</b>		
0568	1/2	Nut - 10.6 mm deep - unplated	0.60
1634	1/2	Nut - 11.05 deep - unplated	0.60
1868	1/2	Nut - 23.5mm wide - seconds	1.00
1296	1/2	Nylock nut - zinc-chromate plated	2.00
0964	1/2	Wingnut	2.00
1557	1/2	Nut - brass	2.00
1630	1/2	Nut - dome - brass - chromed	2.00
1984	1/2	Nut - stainless	2.00
	<b>9/16" WHIT</b>		
1635	9/16	Nut - hex - unplated	1.00
	<b>5/8" WHIT</b>		
0359	5/8 x 1	Bolt - square head - cup point	1.00
1242	5/8 x 1	Bolt - square head - flat point	1.00
0564	5/8 x 1 1/4	Setscrew and nut	2.00
0360	5/8 x 1 1/2	Bolt - square head - cup point	1.00
0897	5/8 x 1 3/4	Bolt - TL 1 1/4 - with nut - unplated	1.00
1241	5/8 x 1 7/8	Capscrew - fully threaded	1.00
0647	5/8 x 2	Bolt - zinc plated	0.30
1243	5/8 x 2	Bolt - square head - flat point	2.00
1587	5/8 x 2	Stud - brass - with shoulder	5.00
0426	5/8 x 2 1/2	Bolt - zinc plated	1.00

0877	5/8 x 2 1/2	Bolt - TL 1 1/2" - and nut	0.60
1873	5/8 X 2 1/2"	Bolt - TL 1" - and nut	2.00
0921	5/8 x 2 1/2	Bolt - stainless	4.00
0852	5/8 x 3	Bolt and nut - unplated	1.50
0879	5/8 x 3	Bolt and nut - zinc plated	2.00
0427	5/8 x 3 1/2	Bolt - zinc plated	2.00
1870	5/8 x 3 1/2	Setscrew - galv	2.00
1869	5/8 x 4	Bolt - galv	2.00
0428	5/8 x 4 1/2	Bolt - zinc plated	3.00
1871	5/8 x 4 1/2	Bolt - galv	2.00
1872	5/8 x 5	Bolt - galv	3.00
	<b>5/8" WHIT NUTS</b>		
0922	5/8	Nut - unplated	0.50
0438	5/8	Nut - zinc plated	0.50
0628	5/8	Nut - nylock - zinc plated	1.00
1636	5/8	Nut - nylock - zincchromate	1.50
	<b>3/4" WHIT</b>		
1875	3/4 x 1 1/4	Bolt - unplated	1.00
1874	3/4 x 2	Bolt - TL 1 1/2 - unplated	1.00
1876	3/4 x 2	Setscrew - unplated	1.50
0567	3/4 x 2 1/2	Bolt -TL 1 3/4" - and nut	1.00
0559	3/4 x 2 3/4	Capscrew - socket head, black, TL 2"	2.00
0862	3/4 x 3	Bolt and nut - zinc plated	5.00
0827	3/4 x 6	Bolt and nut	4.00
0513	3/4 x 12	Bolt - TL 2 1/4 - and nut	6.00
	<b>3/4" WHIT NUTS</b>		
0439	3/4	Nut - zinc plated	0.70
0936	3/4	Nut - nylock	1.00
	<b>7/8" WHIT</b>		
1877	7/8 x 3	Bolt - TL 2" - unplated	4.00
1878	7/8 x 3 1/4	Bolt - TL 1 3/4" - unplated	4.00
	<b>7/8 "WHIT NUTS</b>		
0423	7/8	Nut - plain hex - unplated	1.00
1880	7/8	Nut - Aerotite split-thread locknut	2.00
	<b>1" WHIT</b>		
1883	1 x 3 1/2	Setscrew - unplated	5.00
0422	1 x 6	Bolt and nut	7.00
	<b>1" WHIT NUTS</b>		
0769	1"	Nut - plain hex	5.00
	<b>1 1/4" WHIT</b>		
0728	1 1/4"	Nut - plain hex	3.00
1879	1 1/4	Nut - slotted	5.00

## U.N.F. (Unified National Fine)

### (Pitch angle 60 degrees)

Code	Diameter & Length	Item	Price
	<b>6/40 UNF</b>		
1619	6/40 X 1 ¾	Screw - roundhead - fully threaded - cad plated	1.50
1906	6/40	Nut - stainless	1.50
	<b>10/32 UNF</b>		
0864	"10/32" (10G x 32tpi) x 3/8	Screw - csk - with fitted washer - Phillips - zinc plated	0.20
1602	"10/32" (10G x 32tpi) x 1/2	Screw - panhead - slotted - z/plated	0.50
0585	"10/32" (10G x 32tpi) x 7/16	Screw - csk - Phillipshead - zinc chromate plated	0.50
0361	"10/32" (10G x 32tpi) x ½	Setscrew - hex head	0.50
0588	"10/32" (10G x 32tpi) x 5/8	Bolt - TL 3/8" - grey	0.50
0960	"10/32" (10G x 32tpi) x 5/8	Bolt - TL 3/8" - silver	1.00
1739	"10/32" (10G x 32tpi) x 5/8	Screw - roundhead - Phillips - TL ¼"	0.50
1001	"10/32" (10G x 32tpi) x 5/8	Screw - panhead - slotted - stainless	0.90
0869	"10/32" (10G x 32tpi) x ¾	Bolt - TL 3/8"	1.00
0962	"10/32" (10G x 32tpi) x ¾	Screw - raised csk - stainless	1.00
0215	"10/32" (10g x 32tpi) x 1	Screw - mushhead - slotted - cad - head 10.35 mm	1.00
0362	"10/32" (10G x 32tpi) x 1	Bolt - zinc plated - TL 7/8	0.50
0727	"10/32" (10G x 32tpi) x 1	Screw - raised csk - stainless	1.50
0902	"10/32" (10G x 32tpi) x 1 5/8	Bolt - zinc-chromate - TL 3/8"	0.50
0919	"10/32" (10G x 32tpi) x 2 ¾	Bolt - cad plated - TL ½"	0.50
0461	"10/32" (10G x 32tpi) x 4	Bolt - drilled - cad plated - TL 3/8"	1.00
0363	"10/32" (10G x 32tpi) x 6	Bolt - cad plated	1.00
	<b>UNF 10/32 NUTS</b>		
0974	"10/32" (10G x 32tpi)	Nut - plain hex	0.50
0364	"10/32" (10G x 32tpi)	Nut - brass	0.50
0511	"10/32" (10G x 32tpi)	Nut - slotted	0.80
0975	"10/32" (10G x 32tpi)	Locknut	0.80
1797	"10/32" (10G x 32tpi)	Nut - nylock	1.00
	<b>¼" UNF</b>		
0416	¼ x 3/8	Screw - panhead - Phillips	0.50
0455	¼ x 3/8	Screw - cheesehead	0.50
0959	¼ x ½	Setscrew - mild - unplated	0.50
0958	¼ x ½	Setscrew - HT (Grade 5) - black	0.80
1970	¼ x ½	Setscrew - HT - zinc-chromate plated	1.20
0590	¼ x 5/8	Bolt - 12 point drive (UNJF - Titanium)	1.00
1971	¼ x 3/4	Bolt - HT - TL 3/8" - zinc-chromate	1.30
1058	¼ x 7/8	Screw - csk - slotted - zincpl	1.00
1594	¼ x 1	Screw - cheesehead	1.00
0950	¼ x 1 ¼	Bolt - TL ¾"	1.00
0951	¼ x 1 ¼	Bolt - TL ¾" - HT (Grade 5)	1.50
0942	¼ x 2	Bolt - HT (Grade 5) - TL 3/4"	1.50
0861	¼ x 2 3/8	Bolt - TL 3/8" - zincchromate pl	1.30
1588	¼ x 1	Bolt - cad - ½" TL	1.00
0896	¼ x 2 ½	Bolt - HT (Grade 5)	1.60
0952	¼ x 2 ½	Bolt - T/L/ ¾ - HT (Gr5)- zincpl	1.60

0446	1/4 x 2 3/4	Bolt – drilled – cad plated	1.50
	<b>1/4" UNF NUTS</b>		
1783	1/4	Nut – plain hex – s/soiled	0.50
0510	1/4	Nut – castle – cad plated	0.50
1796	1/4	Nut – castle - unplatd	0.50
0866	1/4	Nut – self-locking – zincchromate – L-19 type	0.50
1609	1/4	Nut – nylock - zincchromate	1.00
	<b>5/16" UNF</b>		
0417	5/16 x 1/2	Setscrew - black	0.80
1972	5/16 X 3/4	Bolt – HT – TL 1/2" – zinc-chromate	1.50
0953	5/16 x 1	Setscrew – mild - unplated	0.80
0940	5/16 x 1	Setscrew – HT (Grade 5)	1.50
0579	5/16 x 1 1/4	Bolt- TL 1/2 " -pascad-drilled head	0.50
0882	5/16 x 1 1/4	Bolt – HT (Grade 5) – TL 7/8"	0.80
0892	5/16 x 1 1/2	Bolt – HT (Grade 5)	1.00
1658	5/16 x 1 1/2	Bolt – shoulder – thread 5/16 – shaft 3/8 x 7/8	2.00
0938	5/16 x 2	Bolt – HT (Grade 5) – TL1"	0.50
0971	5/16 x 4	Bolt – TL 1/2' – drilled – zinc plated	2.00
	<b>5/16" UNF NUTS</b>		
0788	5/16	Nut – plain hex	0.50
0582	5/16	Nut – self-locking with flange – K-nuts	0.50
0586	5/16	Nut –slotted locknut –cad pl	0.50
0873	5/16	Nut – nylock	1.50
0460	5/16	Nut – brass – deep – manifold	3.00
	<b>3/8" UNF</b>		
1735	3/8 x 1/2	Setscrew - Gr 8 - zinc plated	1.00
1736	3/8 x 3/4	Setscrew – Gr 8 - zinc plated	1.00
1637	3/8 x 3/4	Coachbolt – square under head – domed head	2.00
1973	3/8 x 1	Bolt – HT – TL 1/2" – zinc-chromate	2.20
0572	3/8 x 1 3/16	Bolt –TL 9/16" – pascad	0.60
0429	3/8 x 1 3/16	Bolt – TL 7/8" – unpl	0.60
1302	3/8 x 1 1/4	Setscrew – mild - unplated	0.50
0970	3/8 x 1 3/8	Bolt – socket head – TL 5/8"	0.50
0899	3/8 x 1 1/2	Bolt – HT (Grade 5) - TL 1" - black	2.00
1999	3/8 X 1 9/16	Stud – TL 1/2" and 1/2"	6.00
0430	3/8 x 1 5/8	Bolt – drilled – TL 5/8" - cadpl	1.50
0457	3/8 x 1 5/8	Stud –TL 1/2" + 3/4"	1.60
1650	3/8 x 1 7/8	Bolt – black - seconds	1.00
0569	3/8 x 2 3/16	Bolt –TL 5/8" - pascadpl	1.80
0900	3/8 x 2 1/2	Bolt – HT (Grade 5)	2.00
0450	3/8 x 2 5/8	Bolt	1.00
1656	3/8 x 2 3/4	Bolt – TL 7/8" - seconds	0.50
0968	3/8 x 3	Bolt – TL 1/2' – drilled	2.40
0898	3/8 x 3 1/2	Bolt – mild – TL 1"	2.00
0894	3/8 x 4	Bolt – mild – TL 1"	2.00
0881	3/8 x 4	Bolt – HT (Grade 5) – TL 1"	3.00
	<b>3/8 " UNF NUTS</b>		
0478	3/8	Nut – plain hex – zinc plated	0.80
0463	3/8	Nut – cad plated	0.80
0570	3/8	Nut – slotted – cad plated	0.80
1948	3/8	Nut – castle – cad plated	1.00
1293	3/8	Nut – dome - chromed	7.50
0870	3/8	Nut – nylock	1.00

1532	3/8	Nut - castle - unplated	1.00
	<b>7/16" UNF</b>		
0432	7/16 x 7/8	Bolt - drilled - cad plated	1.00
0954	7/16 x 1	Setscrew - mild	0.50
1094	7/16 x 1	Setscrew - HT (Grade 5)	1.00
0872	7/16 x 1 ¼	Setscrew	1.00
1651	7/16 x 1 3/8	Screw - slot panhead - TL ¾" - with castle nut	1.00
0939	7/16 x 1 ½	Bolt - HT (Grade 5) - TL 1 ¼	1.00
0447	7/16 x 1 7/8	Bolt - drilled - cad plated	1.00
0944	7/16 x 2	Bolt - HT (Grade 5) - TL 1"	1.50
0945	7/16 x 2 ¼	Bolt - HT (Grade 5) - TL 1¼ - zinc plated	1.50
1654	7/16 x 2 ½	Bolt - TL 1" - seconds	1.00
1647	7/16 x 3	Bolt and nut - seconds	1.00
0937	7/16 x 3 ½	Bolt HT (Grade 5) - TL 1 ¼"	1.50
0797	7/16 x 4	Bolt - TL 1" - unplated	2.00
0947	7/16 x 4	Bolt - HT (Grade 5) - TL 1"	2.50
	<b>7/16" UNF NUTS</b>		
0473	7/16	Nut - deep - cad plated	0.60
0477	7/16	Nut - slotted	0.60
0476	7/16	Nut - castle	1.00
0470	7/16	Nut - nylock	1.00
	<b>½" UNF</b>		
0955	½ x 1	Setscrew	1.00
0941	½ x 1	Setscrew - HT (Grade 5)	1.50
0948	½ x 1 ½	Bolt - TL 1 ¼" - HT (Grade 5)	1.50
0901	½ x 1 ½	Setscrew - HT (Grade 8)	2.00
0462	½ x 2	Bolt - cad plated	2.50
0418	½ x 2	Stud -TL ½" + 1 1/8"	2.50
0935	½ x 2 ½	Bolt - TL 1 ½"	2.00
0419	½ x 2 ½	Bolt - drilled	2.00
0565	½ x 3	Bolt - mild -TL 1 ¼"	3.00
0801	½ x 3	Bolt - HT(Grade 8) - TL 1 ¼" And nut	3.00
0485	½ x 3 ½	Bolt and nut	2.50
1655	½ x 5 ½	Bolt - TL 1 ¼ - seconds	3.00
0790	½ x 6	Bolt - mild - TL 1 ½"	3.00
0789	½ x 6	Bolt HT (Grade 5) - TL 13/8"	4.00
	<b>½" UNF NUTS</b>		
1642	½	Nut - stainless - recessed one side	2.00
0471	½	Nut - plain hex. deep	1.50
1773	½	Nut - HT	2.00
0580	½	Nut - slotted locknut - zincchrom	2.00
1297	½	Nylock nut - zinc-chromate	2.00
1589	½	Nut - brass - 8 mm deep	3.00
1730	½	Nut - castle - zinc-chromate	5.50
	<b>9/16" UNF</b>		
0433	9/16 x 1 ½	Bolt	2.00
0436	9/16 x 1 ¾	Bolt	2.50
0437	9/16 x 2	Bolt	2.50
0482	9/16 x 6	Bolt	5.00
	<b>9/16" UNF NUTS</b>		
0434	9/16	Nut	2.50
1055	9/16	Nut - slotted	2.50
0934	9/16	Nylock nut - zinc-chromate	2.50
1782	9/16	Nylock nut - cad plated	2.50
1366	9/16	Wheelnut - RHT	5.00

1364	9/16	Wheelnut – LHT - cad plated	7.00
	<b>5/8" UNF</b>		
0793	5/8 x 2	Bolt – mild – TL 1 5/8	2.40
0792	5/8 x 2	Bolt – HT (Grade 5) TL 1 5/8"	2.50
0772	5/8 x 2	Bolt – HT (Grade 8)	2.00
0885	5/8 x 2 1/8	Bolt – drilled – TL 1/2 "	2.50
0431	5/8 x 2 5/8	Bolt	3.00
0464	5/8 x 3 1/4	Bolt – drilled – cad plated	4.00
0475	5/8 x 3 1/2	Bolt – drilled – cad plated	4.00
1640	5/8 x 3 1/2	Bolt with nut - seconds	1.00
0483	5/8 x 5 3/4	Bolt – drilled – cad plated	4.50
	<b>5/8" UNF NUTS</b>		
0509	5/8	Nut – plain hex	2.00
1036	5/8	Nut – zinc plated	2.50
0650	5/8	Nut – plain hex – HT	3.00
0465	5/8	Nut – slotted	3.00
0456	5/8	Nut – castle – cad plated	5.00
0678	5/8	Nut – nylock – zinc chromate	5.00
1959	5/8	Nut – lock - zincchromate	7.00
2006	5/8	Nut – stainless -	3.50
	<b>3/4" UNF</b>		
1641	3/4 x 4	Bolt – HT with nut -seconds	2.00
	<b>3/4 UNF NUTS</b>		
1653	3/4	Nut – plain hex - seconds	1.50
1657	3/4	Nut – plain hex - LHT	2.00
0472	3/4	Nut – zinc plated	2.50
1365	3/4	Nut – slotted - deep	6.00
1035	3/4	Nut – wheelnut	5.00
1645	3/4	Nut – castle - seconds	3.00
1646	3/4	Nut – slotted - seconds	3.00
	<b>7/8" UNF</b>		
0497	7/8	Nut – slotted – "Dufor 8"	4.00
0973	7/8	Nylock nut	5.00
	<b>1" UNF</b>		
1051	1 x 2"	Bolt – NOTE ; 14 TPI	4.00
	<b>1 1/8" UNF</b>		
0474	1 1/8	Nut – castle	5.00
0717	1 1/8	Locknut – slotted	5.00

## U.N.E.F. (Unified National Extra Fine) (Pitch angle 60 degrees)

Code	Diameter & length	Item	Price
	<b>1 " UNEF</b>		
<b>1781</b>	<b>1"</b>	<b>Nut – lock - slotted</b>	<b>5.00</b>

## U.N.C. (Unified National Coarse) (Pitch angle 60 degrees)

Code	Diameter & length	Item	Price
1720	"1/64"(1G x 64 tpi)	Screw - ch-h - slot ted- stainless	0.30
0875	"4/40" (4G x 40 tpi) x 5/16	Screw - roundhead - slotted - cad plated	0.30
0859	"6/32" (6G x 32 tpi) x 1/4	Screw - panhead - Phillips	0.30
0876	"6/32" (6G x 32 tpi) x 3/8	Screw - panhead - Phillips	0.30
0798	"6/32" (6G x 32 tpi) x 1/2	Screw - csk - Phillips - zincchromate	0.30
1556	"6/32" (6G x 32 tpi) x 1/2	Screw - csk - slotted - stainless	0.60
0613	"6/32" (6G x 32tpi) x 2	Screw - panhead - Phillips - black	0.30
0454	"6/32" (6G x 32 tpi) x 2	Screw - roundhead - cad plated	0.30
0868	"6/32" (6G x 32tpi)	Nut - self-locking	0.05
1557	"6/32" (6G x 32 tpi)	Nut - stainless	0.30
0609	"8/32" (8G x 32tpi) x 5/16	Screw - csk - Phillips - zinchrom	0.30
1305	"8/32" (8G x 32tpi) x 1/2	Screw - roundhead - slottd - stainless	0.60
0611	"8/32" (8G x 32tpi) x 1	Screw - panhead - Phillips - zinchromate or zinc	0.30
	<b>1/4" UNC</b>		
0589	1/4 x 3/4	Bolt - TL 1/2" , drilled head, zinc chromate plated	0.30
1608	1/4	Nut - nylock - zincchromate	0.50
	<b>5/16" UNC</b>		
0880	5/16 x 1	Bolt and nut - HT (Grade 5)	0.50
1095	5/16 X 1	Setscrew - HT (Grade 5) - cadpl	0.30
1634	5/16 x 2	Screw - roundhead - slot -	0.50
	<b>3/8" UNC</b>		
0795	3/8 X 1 1/2	Bolt - HT (Grade5) - TL 1" And nut	1.00
0791	3/8 x 2	Bolt - HT (Grade 5) and nut	1.00
0796	3/8	Nut - HT	0.50
	<b>1/2" UNC</b>		
0515	1/2 x 3/4	Grubscrew - square head	1.50
0453	1/2 x 1	Grubscrew - square head	1.50
0672	1/2 x 3	Stud - Grade B7	2.00
1639	1/2 x 3 3/8	Bolt - Newall HT	2.00
1638	1/2 x 4 1/2	Bolt - Newall HT	3.00
0887	1/2 x 5	Capscrew	2.00
1303	1/2	Nut - HT - black	1.00
0441	1/2	Nut - split thread lock ("Aerotight")	1.00
1560	1/2	Nut - plain - zinc-chromate	1.50
	<b>9/16" UNC</b>		
1643	9/16 x 2 1/2	Bolt - black	2.00
1644	9/16 x 3	Bolt - black - head drilled	2.00



	<b>5/8" UNC</b>		
1251	5/8 x 2 1/2	Stud - fully threaded - Grade B7	2.00
1252	5/8 x 4	Stud - fully threaded - Grade B7	4.00
	<b>3/4" UNC</b>		
1253	3/4 x 4	Stud - fully threaded - Grade B7	5.00
1254	3/4 x 4	Stud - fully thread - Grade B8M	10.00
1257	3/4	Nut - Grade B8M	6.00

## U.N.8 (Unified National 8 TPI)

Code	Diameter & length	Item	Price
	<b>1 1/8" UN8</b>		
1255	1 1/8 x 6	Stud - Grade B8M	30.00
1256	1 1/8	Nut -	10.00
	<b>1 1/4" UN8</b>		
1258	1 1/4 x 7 1/2	Stud - Grade B8M	50.00
1259	1 1/4	Nut - Grade 8MA	10.00

## Brass Thread (BSB) (26 TPI all diameters - Pitch Angle 55 degrees)

Code	Diameter & Length	Item	Price
0600	3/8	Nut - brass	0.60
0521	5/8	Dome / Acorn Nuts	4.00

## Cycle Thread ("BSCY" - 26 TPI OR 20 TPI - Pitch Angle 60 degrees)

Code	Diameter & Length	Item	Price
1526	1/4 X 26TPI	Nut - plain hex - zinc plated	0.60
1282	5/16 x 3/4 x 26 TPI	Setscrew - mild - zinc plated	2.50
0856	5/16 x 1 X 26 TPI	Setscrew - zinc plated	2.50
0596	5/16 X 26 TPI	Nut - plain hex - zincpl	1.00
1994	5/16 x 26 TPI	Nut - reduced hex - .250 hi	1.50
1881	3/8 X 1	Setscrew - zincplated	3.50
1114	3/8 X 26 TPI	Nut - plain hex - zincpl	1.50
1115	7/16 X 26 TPI	Nut - plain hex - zincpl	2.20
1595	7/16 X 20 TPI	Nut - plain hex - zincpl	2.50
1596	1/2" X 20 TPI	Nut - plain hex - zincpl	2.60
1597	1/2" x 26 TPI	Nut - plain hex - satinchrome	3.50
1992	1/2 x 26 TPI	Nut - plain hex - zincplated	3.00

## Metric

Code	Diameter & Length	Item	Price
1955	M3 X 16mm	Socket head capscrew stainless	1.00
1956	M3	Nuts - stainless	0.30
1953	M4 X 16 mm	Socket head capscrew - stainless	1.00
1954	M4	Nuts - stainless	0.50
0670	M5 x 65mm	Screw – socket head	0.60
0612	M5	Nut – nylock	0.30
1355	M6 X 16mm	Setscrew - stainless	0.50
1584	M6 X 30 MM	Screw – panhead Phillips - stainless	1.00
0712	M6	Spring washer – zinc plated	0.30
1356	M6	Nut - stainless	0.30
1179	M8 x 25mm (1.25 pitch)	Bolt – flanged – zincchromate	0.30
0614	M8 x 40 mm (1.25 pitch)	Bolt + nut – zinc plated	0.60
0799	M8	Nut – with flange – plated	0.30
0976	M8	Nylock Nut	0.50
1968	M8	Dome nut – 1.25 pitch - stainless	1.00
0969	M10 x 40	Setscrew – socket head	0.50
0878	M10 x 170mm (1.5 p)	Bolt and nut	1.00
0931	M10	Nylock nut	0.50
1628	M10	Dome nut - chrome	3.00
1980	M10	Nut - stainless	1.00
0610	M12 x 25mm (1.75 pitch=coarse)	Capscrew – HT – zincchrom plated	0.60
1768	M12 x 25mm (1.75 pitch=coarse)	Button-head bolt – socket drive - black	0.50
0884	M12 x 75 (1.5 p)	Bolt – TL 25mm – zincchromate	0.50
1986	M14 (1.0 P)	Nut- stainless – 1.0 pitch	3.00
0893	M14 x 55 (2.0 p)	Bolt and nut – HT (class 8.8)	3.00
0700	M16 x 30mm	Setscrew – stainless	4.00
0889	M16 x 80 mm(1.5 p)	Bolt	2.00
0888	M16 x 110 (1.5 p)	Bolt	3.00
0890	M16 x 125 mm (1.5 p)	Bolt	3.00
0699	M16	Nut – stainless, plus lockwashers	2.00
0886	M18 x 60 mm (1.5 p)	Bolt	1.50

## Mixed-Thread Studs

Code	Diameter/s & Thread type and Lengths and overall length	Price
1042	(1/4UNF TL 1/2) x (5/16 WHIT TL 3/8) x 1 1/4	1.00
1043	1/4 x 1 3/8 - (WHIT TL 1/2) x (BSF TL 3/4)	1.50
1044	5/16 x 2 - (UNC TL 5/8) x (UNF TL 1")	2.00
1045	5/16 x 5 1/4 (UNF TL 1/2) x (WHIT TL 3/4)	5.00
1988	1/2" x 1 5/8" (UNF TL 1/2") X (UNC TL 3/4")	5.00
1046	7/16 x 3 1/4 - (WHIT TL 3/4) x (UNF TL 3/4)	6.50
1047	7/16 x 3 3/4 - (WHIT TL 3/4) x (UNF TL 1 1/4 )	6.60
1049	7/16 x 4 - (WHIT TL 3/4) x (UNF TL 5/8 )	8.00

## Self-Tappers

Code	Diameter & Length	Item	Price
1737	0g/48 x 3/16	Screw – roundhead – slot -	0.50
1019	4g x 1/2	Screw – csk – slotted - stainless	0.30
1162	4g x 1/2	Screw – raised csk – slotted - stainless	0.30
1983	4g x 1/2	Screw – raised csk – slotted – steel nickel plated	0.60
0783	4g x 1/2	Screw – panhead – slotted – stainless	0.30
1020	4g x 3/4	Screw – csk – slotted - stainless	0.30
1667	6g x 3/8	Screw – panhead – slotted - zplated	0.30

1155	6g x 1/2	Screw - raised csk - slotted - cad	0.30
1974	6g x 1/2	Screw - raised csk - slotted - stainless	0.40
1154	6g x 5/8	Screw - raised csk - slotted	0.30
0994	6g x 3/4	Screw - raised csk slotted stainless	1.00
1290	6g x 3/4	Screw - panhead slotted stainless	0.50
1069	6g x 1	Screw - raised csk slotted stainless	0.50
1670	6g x 1 1/4	Screw - raised csk slotted stainless	0.60
1975	8g x 3/8	Screw - raised csk slotted stainless	0.40
1143	8g x 1/2	Screw - csk - Phillips - chrome	0.30
1675	8g x 1/2	Screw - raised csk - slot - stainless	0.50
0995	8g x 3/4	Screw - raised csk slotted stainless	0.50
1021	8g x 1	Screw - csk - slotted - stainless	0.60
1633	8g x 1	Screw - panhead - slotted - zplated	0.30
1070	8g x 1	Screw - raised csk slotted stainless	0.60
1533	8g x 1 1/2	Screw - csk - stainless - slotted	0.60
1157	10g x 5/8	Screw - csk - slotted	0.30
1000	10g x 3/4	Screw - raised csk slotted stainless	0.60
1022	10g x 1	Screw - csk - slotted - stainless	0.60
1976	10g x 1	Screw - raised csk slotted stainless	0.70

## Flat Washers

Code	Diameter	Item	Price
1721	M 1.6	Flat washer - stainless	0.30
1722	M 2	Flat washer - stainless	0.30
1026	6 BA x 24 g	Flat steel washer - zinc plated	0.30
1957	M3 X 7mm X 0.5	Flat washer - stainless	0.30
0857	1/8	Flat washer - stainless	0.30
1025	1/8	Flat steel washer - zinc plated	0.30
1411	1/8	Flat brass washer	0.30
1991	5BA	Flat brass washer	0.40
1410	4BA	Flat brass washer	0.30
1409	5/32	Flat brass washer	0.30
1006	4 mm / 3BA	Flat stainless washer	0.25
1024	4 mm / 3 BA	Flat steel washer - zinc plated	0.30
1023	2BA x 20 g	Flat steel washer - zinc plated	0.30
1802	2BA - o/d 9.75 mm	Flat washer - stainless	0.50
1803	2BA - o/d 12.65 mm	Flat washer - stainless	0.60
0874	3/16 i/d x 7/16 o/d x 20g	Flat steel washer - unplt	0.30
1993	3/16 i/d x 7/16 o/d x 20g	Flat steel washer - zinc plt	0.50
0531	3/16 i/d x 7/16 o/d x 20g	Flat stainless washer	0.30
0592	3/16 i/d x 7/16 o/d x 1/16	Flat aluminium washer	0.15 or \$5 per 100
1003	3/16 i/d x 7/16 o/d	Flat brass washer	0.30
0984	3/16 i/d x 1/2 o/d x 1/16	Flat steel washer - zincchromate	0.30
0871	M6 / 0 BA	Flat washer	0.30
0883	1/4 i/d x 1/2 o/d x 20g	Flat steel washer in Lucas bag	0.30
0980	1/4 i/d x 1/2 o/d x 20g	Flat stainless washer	0.30
1004	1/4 i/d x 5/8	Flat brass washer	0.50
0532	1/4 x 3/4 o/d x 16g	Flat zinc plated washer	0.30
0607	1/4 i/d x 1 1/4 o/d	Mudguard washer - zincpl - 16g	0.30
0863	5/16 x 5/8 o/d	Flat washer - dark zincchromate	0.30
0979	5/16 i/d x 3/4 o/d x 16g	Flat washer - zinc plated	0.30
0533	5/16 i/d x 7/8 o/d	Flat zinc plated washer	0.30

	x 14g		
0989	5/16 i/d x 1 1/4 o/d x 16g	Flat washer - Mudguard washer - zinc plated	1.00
0982	3/8 i/d x 3/4 " o/d x 3 mm	Flat washer	0.30
1668	3/8 x 3/4 x 18g	Flat washer zinc plated	0.30
1544	3/8 x 7/8 x 16 g	Flat washer zinc plated	0.30
0534	3/8 i/d x 1" o/d x 3 mm	Flat zinc plated washer	0.30
1916	3/8 x 1 3/16 x 1 mm	Flat stainless washer	0.50
1677	10 mm x 20 mm x 1.2 -	Flat washer - stainless	0.50
0983	7/16 i/d x 7/8 o/d x 16g	Flat washer	0.30
0535	7/16 i/d x 7/8 o/d x 16g	Flat zinc plated washer	0.30
2003	7/16 i/d x 1" o/d x 16g	Flat zinc plated washer	0.40
0985	1/2 i/d x 7/8 o/d x 0.5mm	Flat washer / shim - zincchromate plated	0.30
0981	1/2 i/d x 1" o/d x 16g	Flat washer unplated	0.30
1545			
0978	1/2 i/d x 1" o/d x 16g	Flat zinc plated washer	0.30
1884	1/2 i/d x 1 1/4 o/d	Flat washer - stainless	0.50
0536	1/2 i/d x 1 3/8 o/d x 3 mm	Flat zinc plated washer	0.30
1774	1/2 i/d x 2" o/d x 12g	Flat zinc plated washer	1.00
0583	5/8 i/d x 1 1/16 o/d	Flat washer - zincchromate	0.30
0537	5/8 i/d x 1 1/4 o/d x 14g	Flat zinc plated washer	0.30
1995	5/8 i/d x 1 1/4 o/d x 16g	Flat washer - stainless	2.00
0988	3/4 i/d x 1 1/8 o/d x 14g	Flat washer	0.30
0538	3/4 i/d x 1 1/2 o/d x 14g	Flat zinc plated washer	0.30
0986	13/16 i/d x 1 5/16 o/d x 16g	Flat washer	0.30
0987	13/16 i/d x 1 5/16 o/d x 16g	Flat washer	0.30
0539	7/8	Flat zinc plated washer	0.30
0540	1	Flat zinc plated washer	0.30
0591	1.0 i/d x 1 9/16 o/d x 0.9 mm thick	Flat steel washer	0.30

## Spring Washers

Code	Inside Diameter	Item	Price
1428	1/8	Spring Washer - zinc plated	0.30
1555	1/8 6g	Spring washer - stainless	0.30
1786	5/32 (3BA)	Spring Washer - stainless	0.30
0541	3/16	Spring washer - zinc plated	0.50
1960	3/16	Spring washer - zinchromate	0.50
1002	3/16 ( or 10g or 2BA)	Spring washer - stainless steel	0.30
0542	1/4	Spring washer - zinc plated	0.30
1009	1/4	Spring washer - plain - cadpl.	0.30
1592	1/4	Spring washer - stainless	0.50
1961	1/4	Spring washer - zinchromate	0.60
0543	5/16	Spring washer - zinc plated	0.60
1962	5/16	Spring washer - zinchromate	0.70
0581	5/16	Spring washer - Grover style cadpl.	1.00
1787	5/16	Spring washer - stainless	0.60
0544	3/8	Spring washer - round edge - zinc plated	0.50
1905	3/8	Spring washer - imperial square cut - zincplated	0.50
1963	3/8	Spring washer - zinchromate	0.50
0545	7/16	Spring washer - zinc plated	1.50
1964	7/16	Spring washer - zinchromate	1.00
0546	1/2	Spring washer - flat section - zinc plated	0.50

1965	1/2	Spring washer - zinchromate	0.60
0865	1/2	Spring washer - square section - unplated	0.50
0547	5/8	Spring washer - zinc plated	0.50
1996	5/8	Spring Washer - stainless	1.50
0548	3/4	Spring washer - zinc plated	1.00
0549	7/8	Spring washer - zinc plated	1.00

## Miscellaneous Washers

Code	Inside Diameter	Item	Price
1435	6 BA	Thackeray Washer	0.50
1205	4g	Cup washer - nickel plated brass	0.30
0996	6g	Cup washer - nickel plated brass	0.30
1071	6g	Cup washer - flanged - stainless	0.30
1979	6g	Cup washer - non-flanged - stainless	0.30
1111	6g	Countersunk Trim Washer - brass - nickel plated	0.30
1434	4 BA	Thackeray Washer - cad plated	0.50
1433	3 BA	Thackeray Washer - cad plated	0.50
1440	3 BA	Thackeray Washer - copper	0.60
0997	8g	Cup washer - nickel plated brass	0.30
1072	8g	Cup washer - flanged - stainless	0.50
1112	8g	Countersunk Trim Washer - brass - nickel plated	0.30
1439	2 BA	Thackeray (double-coil) washer - cad plated	0.50
0809	3/16 / 10g	Plain Cone (shallow csk) Washer	0.50
1050	3/16	Thackeray (double coil) washer- unplated	0.50
0998	10g	Cup washer - nickel plated brass	0.50
1113	10g	Countersunk Trim Washer - brass - nickel plated	0.50
1978	12g	Cup washer - nickel plated brass	0.60
0804	1/4	Floorboard Washer - zinc plated	1.40
0867	1/4	Washer - external star - zinchrome	0.05
0805	1/4 / 12g	Countersunk Trim Washer - brass - nickel plated	0.60
1052	1/4	Thackeray (double-coil) washer - unplated	0.50
0963	1/4	Thackeray (double-coil) washer - zinc plated	0.50
1436	1/4	Thackeray (double-coil) washer - cad plated	0.50
0810	5/16	Thackeray (double-coil) washer- zinc plated	0.50
0811	3/8	Thackeray (double-coil) washer- zinc plated	1.00
1408	3/8	Thackeray (double-coil) washer- black	1.00
1437	3/8	Thackeray (double-coil) washer - cad plated	1.00
1189	7/16	Thackeray (double-coil) washer- zinc plated	1.00
1438	7/16	Thackeray (double-coil) washer - cad plated	1.00
1190	1/2	Thackeray (double-coil) washer- zinc plated	1.50
1373	1/2	Thackeray (double-coil) washer- unplated - extra wide	2.00
1374	9/16	Thackeray (double-coil) washer- cad plated	2.50
1316	5/8	Thackeray (double-coil) washer- cad plated	3.00

## Clevis Pins

Code	Diam	Length from under head to start hole	Length from under head to end of pin	Price
0630	3/16	5/8"	3/4"	1.50
0631	1/4	11/16"	3/4"	1.70
1924	1/4	3/4"	7/8"	2.00
0632	1/4	7/8"	1"	2.00
1925	1/4	1"	1 1/8"	2.20
0641	9/32	1/2"	5/8"	2.50
0640	5/16	1/2"	5/8"	2.50
0633	5/16	5/8"	3/4"	2.80

0639	5/16	3/4"	7/8"	2.00
1926	5/16	3/4"	15/16"	3.00
0634	5/16	1"	1 1/4"	3.20
0642	11/32	1/2"	5/8"	3.50
0637	3/8	3/4"	7/8"	3.80
0638	3/8	1 1/8"	1 1/4"	4.00
1927	3/8	1 1/4"	1 3/8"	4.20
0635	1/2	1"	1 1/4"	5.00
0636	5/8	1 1/8"	1 3/8"	6.00

## Split Pins

Code	Diameter x Length	Item	Price
0777	1/32 x 1/2 (overall)	Split pin - stainless	0.30
0778	3/64 x 1/2 (overall)	Split pin	0.30
0779	1/16 x 1" (overall)	Split pin	0.30
0713	1/8 x 1 1/4 (1 3/4 overall) = 3.2 mm x 45 mm	Split pin - stainless steel	0.50

## BSF TAPS

Code	Diameter	Item	Price
0733	3/16	Tap - RHT - Inter - carbon	\$8.00
1075	3/16	Tap - RHT - Taper - HSS	\$15.00
1030	3/16	Tap - RHT - Inter - HSS	\$15.00
1076	3/16	Tap - RHT - Bottom - HSS	\$15.00
1074	3/16	Taps - RHT - set of 3 - HSS	\$25.00
1171	7/32	Tap - RHT - interm.	\$25.00
0734	1/4	Tap - RHT - Bottoming	\$20.00
1077	1/4	Taps - RHT - set of 3 - HSS	\$40.00
1029	1/4	Tap - LHT	\$25.00
1931	1/4	Tap - RHT - taper	30.00
0735	9/32	Tap - RHT - bottoming	\$25.00
1080	5/16	Tap - RHT - Taper - HSS	\$25.00
1031	5/16	Tap - RHT - intermediate	\$25.00
0736	5/16	Tap - RHT - bottoming - carbon steel	\$25.00
1032	3/8	Tap - RHT - Taper - ch/alloy	\$38.00
1561	3/8	Tap - RHT - Interm - Carbon steel	\$38.00
1893	3/8	Tap - RHT - bottom - carbon steel	\$28.00
0738	3/8	Tap - RHT - bottom - HSS	\$30.00
1892	3/8	Tap - RHT - bottom - P and N chrome steel	\$32.00
1950	3/8	Taps - set of 3 - carbon steel	\$35.00
0737	3/8	Tap - LHT	\$35.00
1079	3/8	Tap - LHT - HSS	\$45.00
1494	13/32	Tap - Interm	\$35.00
1495	13/32	Tap - Taper	\$35.00
1033	7/16	Tap - RHT - taper	\$30.00
0785	7/16	Tap - RHT - bottoming	\$30.00
1949	7/16	Taps - set of 3 - carbon steel	\$35.00
1027	7/16	Tap - LHT	\$35.00
0040	1/2	Tap - RHT - Taper - HSS	\$35.00

0039	1/2	Tap - RHT - Interm - HSS	\$35.00
0740	1/2	Tap - RHT - Bottom - HSS	\$35.00
0739	1/2	Tap - LHT - Bottom - HSS	\$35.00
0741	9/16	Tap - RHT - bottoming	\$30.00
1082	9/16	Tap - RHT - bottom - HSS	\$70.00
1078	9/16	Tap - LHT - HSS	\$40.00
0742	5/8	Tap - RHT - intermediate	\$35.00
0041	5/8	Tap - RHT - Bottom - HSS	\$35.00
0056	5/8	Tap - LHT - Interm - HSS	\$35.00
0743	11/16	Tap - RHT - bottoming	\$45.00
0744	3/4	Tap - RHT - bottoming	\$50.00
1611	3/4	Tap - LHT - bottoming	\$40
0745	13/16	Tap - RHT - Taper- HSS	\$50.00
0047	13/16	Tap - RHT - Interm-HSS	\$50.00
0048	13/16	Tap - RHT - Bottom - HSS	\$50.00
0746	7/8	Tap - RHT - Interm	\$55.00
0747	15/16	Tap - RHT - Interm	\$55.00
0748	1	Tap - RHT - Bottom - HSS	\$60.00
0749	1 1/8	Tap - RHT - Interm	\$65.00
0750	1 1/4	Tap- RHT - Interm	\$65.00
0751	1 1/2	Tap - RHT - Bottoming	\$70.00

## BSF BUTTON DIES

Code	Diameter	Item	Price
0753	3/16 x 1" o/d	Die - RHT	\$35.00
1170	7/32 x 1" o/d	Die - RHT	\$30.00
1317	7/32 x 1" o/d	Die - LHT	\$40.00
1274	1/4 x 1" o/d	Die - RHT	\$30.00
0754	1/4 x 1 1/2" o/d	Die - RHT	\$70.00
0755	9/32 x 1 1/2" o/d	Die - RHT	\$30.00
1392	5/16 X 1"od	Die - RHT	\$35.00
0756	5/16 x 1 1/2 o/d	Die - RHT	\$30.00
0757	3/8 x 1" o/d	Die - RHT	\$30.00
1496	3/8 x 1 1/2 o/d	Die - RHT	\$70.00
0758	7/16 x 1" o/d	Die - RHT	\$35.00
1393	7/16 x 1 1/2" od	Die - RHT	\$35.00
0759	1/2 x 1 1/2" o/d	Die - RHT	\$35.00
1502	1/2 x 2" od	Die - RHT	\$40.00
0761	9/16 x 2" o/d	Die - RHT	\$40.00
0760	9/16	Die - <b>LHT</b>	\$40.00
1497	5/8 X 1 1/2	Die - RHT	\$40.00
0762	5/8 x 2" o/d	Die - RHT	\$45.00
0763	11/16 x 2" od	Die - RHT	\$50.00
0764	3/4 x 2" od	Die - RHT	\$55.00
0765	13/16 x 2" o/d	Die - RHT	\$55.00
0766	7/8 x 2" o/d	Die - RHT	\$60.00
0767	15/16 x 2" o/d	Die - RHT	\$60.00
0768	1 x 2" o/d	Die - RHT	\$60.00

## BSF DIE NUTS

Code	Diameter	Item	Price
1275	3/16	Die Nut	30.00
1276	1/4	Die Nut carbon s	35.00
1277	5/16	Die Nut	35.00
1278	3/8	Die Nut	35.00
1377	7/16	Die Nut	40.00
1378	1/2	Die nut	40.00
1911	13/16	Die Nut	55.00
1921	1"	Die Nut	65.00

## B.A. TAPS

Code	Diameter	Item	Price
0060	0 BA	Tap - taper - long-HSS	10.00
0073	0 BA	Tap - taper - HSS	10.00
0080	0 BA	Tap - interm - HSS	10.00
1600	0 BA	Taps - set of 3 - HSS	25.00
0084	1 BA	Tap - taper - HSS	10.00
0088	1 BA	Tap - interm - HSS	10.00
0090	1 BA	Tap - bottom - HSS	10.00
0092	1 BA	Tap - set of 3 - HSS	25.00
0093	2 BA	Tap - taper - HSS	10.00
0095	2 BA	Tap - interm - HSS	10.00
0096	2 BA	Tap - bottom - HSS	10.00
0101	2 BA	Tap - interm - LHT - HSS	15.00
1601	2 BA	Taps - set of 3 - HSS	25.00
0104	3 BA	Tap - taper - HSS	10.00
0108	3 BA	Tap - interm - HSS	10.00
0112	3 BA	Tap - bottom - HSS	10.00
0115	3 BA	Taps - set of 3 - HSS	25.00
0123	4 BA	Tap - taper	10.00
0141	4 BA	Tap - interm - HSS	10.00
0142	4 BA	Tap - bottom - HSS	10.00
0146	4 BA	Tap - interm - LHT - HSS	15.00
0148	5 BA	Tap - taper	N/a
0150	5 BA	Tap - interm - HSS	10.00
0153	5 BA	Tap - bottom	N/a
0163	6 BA	Tap - taper	N/a
0164	6 BA	Tap - interm - HSS	10.00
0166	6 BA	Tap - bottom - HSS	10.00
0167	7 BA	Tap - taper	N/a
0169	7 BA	Tap - interm - HSS	15.00
0174	8 BA	Tap - taper	N/a
1087	8 BA	Tap - interm - HSS	15.00
1088	8 BA	Taps - set of 3 - HSS	25.00
1185	10 BA	Tap	10.00

## B.A. BUTTON DIES

Code	BA SIZE	DIE O/D SIZE	Price
1367	0BA	1"	35.00
1368	2BA	1"	35.00
2007	3BA	13/16"	25.00
1369	4BA	1"	40.00
2008	5BA	13/16"	25.00



## WHITWORTH TAPS

Code	Diameter	Item	Price
0233	3/16	Tap - Taper - HSS	8.00
0239	3/16	Tap - Interm - HSS	8.00
0244	3/16	Tap - Bottom - HSS	8.00
0245	3/16	Taps - set of 3 - HSS	20.00
0228	7/32	Tap - Interm - HSS	10.00
0229	7/32	Tap - set of 3 - HSS	20.00
0246	1/4	Tap - Interm - HSS	8.00
0247	1/4	Tap - Bottom - HSS	8.00
0248	1/2	Tap - Interm - HSS	15.00
0249	1/2	Tap - set of 3 - HSS	25.00
0250	7/8	Tap - Bottom - HSS	20.00
0251	1	Tap - Taper - HSS	25.00
0285	1	Tap - Interm - HSS	25.00
1093	1	Tap - Bottom - HSS	25.00
1091	1 1/4	Tap - Bottom - HSS	30.00
0158	1 3/8	Tap - Bottom - HSS	30.00
1089	1 1/2	Tap - Bottom - HSS	35.00

## UNF TAPS

Code	Diameter	Item	Price
0177	5/16	Tap - Bottom - HSS	8.00
0178	5/16	Tap - Set of 3 - HSS	25.00
0191	3/4	Tap - Interm - HSS	15.00
0193	3/4	Tap - set of 3 - HSS	25.00
0203	7/8	Tap - Taper - HSS	20.00
0206	7/8	Tap - Interm - HSS	20.00
0210	7/8	Tap - Bottom - HSS	20.00
1090	7/8	Tap - set of 3 - HSS	40.00
0216	1 1/8	Tap - Interm - HSS	20.00
0227	1 1/8	Tap - Bottom - HSS	20.00

## BRASS THREAD (26 TPI) TAPS

Code	Diameter	Item	Price
1501	9/16	Tap - RHT - set of 3	\$100.00
1500	3/4	Tap - RHT - set of 3	\$100.00
1083	7/8	Tap - RHT - Taper - HSS	\$25.00
1084	7/8	Tap - RHT - Inter - HSS	\$25.00
1085	7/8	Tap - RHT - Bottom - HSS	\$25.00
1086	7/8	Tap - RHT - Set of 3 - HSS	\$50.00
1499	1 1/8	Tap - RHT	\$52.00
1498	1 1/4	Tap - RHT	\$55.00
1503	1 1/4	Tap - RHT - Set of 3	\$110.00
0059	1 1/2	Tap - RHT - Bottom - HSS	\$60.00

## MISCELLANEOUS HARDWARE

Code	Dimensions	Item	Price
1056	1/4 BSF	Straight grease nipple	2.00
1063	1/8 BSP	Brass buttonhead hexagon grease nipple	5.00
1761	1/16" x 5/8"	Spring Pin / Roll Pin	1.00
1429	2mm x 16 mm	Spring Pin / Roll Pin	0.50
1430	3mm x 16 mm	Spring Pin / Roll Pin	0.50
1431	1/4" x 1 1/2"	Spring Pin / Roll Pin	1.00
1432	3/8" x 2"	Spring Pin / Roll Pin	2.00
1933	1"x .131x .146	Taper Pin	1.00
1934	1 3/8 x .315x .341	Taper Pin	5.00
1935	2" x .316 x .335	Taper Pin	5.00
1936	2" x .255 x .297	Taper Pin	5.00
1937	2" x .192 x .233	Taper Pin	5.00
1938	2 1/2" x .193 x .240	Taper Pin	5.00
1939	2 1/2" x .190 x .240	Taper Pin	5.00
1940	2 1/2" x .201 x .252	Taper Pin	5.00
1941	2 1/2" x .195 x .243	Taper Pin	5.00